



Rainier School District #13

Board Recommendation Form

To: The Board of Directors of Rainier School District

From: Rainier School District

Date: September 11, 2023

Proposed Change: LEA Designee

Effective Date: September 11, 2023

Reason for Recommendation: We are required by the EPA to adhere to AHERA (Asbestos Hazard Emergency Response Act) guidelines and designate a Local Education Agency designee for the purpose of overseeing the asbestos management plan.

Attached are pages required to be a part of the Asbestos Management Plan

Board comments or instructions:

I make a motion to designate Boyd Brown as our LEA Designee for the district.

Board Approval: _____

Date: _____

AHERA Asbestos Management Plan

School Name: _____

School Address: _____

A complete, up-to-date copy of this Asbestos Management Plan must be maintained in both the Local Education Agency's administrative office and the school's administrative office (40 CFR § 763.93(g)(2)-(3)). For more information, please contact the Designated Person for this school.

LEA NAME:

SCHOOL NAME:

(Number ___ of ___, make copies as necessary)

AMP FORM 1 - CONTACT INFORMATION

Local Education Agency and School Information	
Local Education Agency:	Telephone Number:
Address:	
Name of School:	Telephone Number:
Address:	County:

Designated Person Information			
Name of Designated Person:		Telephone Number:	
Address:			
Course Name:	Training Agency:	Date:	Hours of Training:

Management Planner(s)		
The following management planner(s) has developed/contributed to this plan and is accredited under the state accreditation program or another state's accreditation program or an EPA-approved course.		
Name:	Telephone Number:	
Firm:		
Address:		
State of Accreditation/Accreditation Number:		
Course Name:	Date:	Training Agency:
Name:	Telephone Number:	
Firm:		
Address:		
State of Accreditation/Accreditation Number:		
Course Name:	Date:	Training Agency:

ATTACHMENTS

- Copy of Designated Person's asbestos-related training certificates suggested, but not required by EPA
- Copy of accreditation certificate for Management Planner(s) suggested, but not required by EPA

LEA NAME:

SCHOOL NAME:

AMP FORM 3 - DESIGNATED PERSON ASSURANCES

In accordance with 40 CFR § 763.93(i) of the Environmental Protection Agency Asbestos-Containing Material in Schools regulation, the undersigned Local Education Agency (LEA) Designated Person (DP) hereby certifies that the following general responsibilities of the LEA under 40 CFR § 763.84 have been or will be met:

1. Ensure that the activities of any persons who perform inspections, reinspections, and periodic surveillance, develop and update management plans, and develop and implement response actions, including operations and maintenance, are carried out in accordance with Part 763, Subpart E.
2. Ensure that all custodial and maintenance employees are properly trained as required by Part 763, Subpart E and other applicable Federal and/or State regulations (e.g., the Occupational Safety and Health Administration asbestos standard for construction, the EPA worker protection rule, or applicable State regulations).
3. Ensure that workers and building occupants, or their legal guardians, are informed at least once each school year about inspections, response actions, and post-response action activities, including periodic reinspection and surveillance activities that are planned or in progress.
4. Ensure that short-term workers (e.g., telephone repair workers, utility workers, or exterminators) who may come in contact with asbestos in a school are provided information regarding the locations for Asbestos-Containing Building Materials (ACBM) and suspected ACBM assumed to be Asbestos-Containing Materials (ACM).
5. Ensure that warning labels are posted in accordance with § 40 CFR 763.95.
6. Ensure that management plans are available for inspection and notification of such availability has been provided as specified in the management plan under § 40 CFR 763.93(g).
7. Designate a person to ensure that requirements under § 763.84 are properly implemented and ensure that the designated person receives adequate training to perform duties assigned under § 763.84. Such training shall provide, as necessary, basic knowledge of: health effects of asbestos; detection, identification, and assessment of ACM; options for controlling ACBM; asbestos management programs; relevant Federal and State regulations concerning asbestos, including those in Part 763, Subpart E and those of the Occupational Safety and Health Administration, U.S. Department of Transportation and the U.S. Environmental Protection Agency.
8. Consider whether any conflict of interest may arise from the inter-relationship among accredited personnel and whether that should influence the selection of accredited personnel to perform activities under Part 763, Subpart E.

Name of Designated Person:	
Designated Person's Signature:	Date:

Note

- The AMP must also include, as required under 40 CFR § 763.93 (e)(7), one of the following statements for the person or persons who inspected for ACBM and who will design or carry out response actions, except for operations and maintenance, with respect to the ACBM: a statement that he/she is accredited under the state accreditation program, or that the LEA has used or will use persons accredited under another state's accreditation program or an EPA-approved course.