

Scan results for www.cboces.org


Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled to help you be inclusive and comply with legislation.

Thu Dec 12, 2024

 **accessWidget** is detected on the website


Thank you for making your website accessible and inclusive for all users with disabilities.



Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.

Website Exposure



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	59	0	100

Code snapshots of successful elements

```
1 <a class="dropdown-toggle cs-link cs-item-title " href="#" data-toggle="dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!i...
```

```
2 <i name="searchGo" class="fa fa-search" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-textual-ops="search" role="button"><span data--="true" " data--position="before" >Search</span></i>
```

```
3 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="0" class="active" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data--="true" " data--position="bef...
```

```
4 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="1" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data--="true" " data--position="before" >Next car...
```

```
5 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="2" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data--="true" " data--position="before" >Next car...
```

```
6 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="3" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data--="true" " data--position="before" >Next car...
```

```
7 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="4" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data--="true" " data--position="before" >Next car...
```

8 `<li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="5" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...`

9 `<li id="pauseButton_angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" role="button" tabindex="0" data-acsb-textual-ops="move"> Move`

10 `<button id="groupSelectorBtn" class="btn btn-default dropdown-toggle pull-left" type="button" data-toggle="dropdown" aria-expanded="false" data-custom-button-processed="true" data-acsb-clickable-contrast-skipped="true"> Move`

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	58	1	98

Code snapshots of successful elements

```
1 <a class="dropdown-toggle cs-link cs-item-title " href="#" data-toggle="dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!i...
```

```
2 <i name="searchGo" class="fa fa-search" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-textual-ops="search" role="button"><span data-=="true" " data--position="before" >Search</span></i>
```

```
3 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="0" class="active" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-=="true" " data--position="bef...
```

```
4 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="1" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-=="true" " data--position="before" >Next car...
```

```
5 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="2" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-=="true" " data--position="before" >Next car...
```

```
6 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="3" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-=="true" " data--position="before" >Next car...
```

```
7 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="4" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-=="true" " data--position="before" >Next car...
```

8 `<li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="5" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...`

9 `<li id="pauseButton_angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" role="button" tabindex="0" data-acsb-textual-ops="move"> Move`

10 `<button id="groupSelectorBtn" class="btn btn-default dropdown-toggle pull-left" type="button" data-toggle="dropdown" aria-expanded="false" data-custom-button-processed="true" data-acsb-clickable-contrast-skipped="true"> Move`

Code snapshots of failed elements

1 ` <i class="fa fa-sign-in " style=";background...
```

```
2 Register
```

```
3 <a class="cs-link cs-item-title " href="/" target="_self" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" style=";background-color:#ffffff!important;color:#000000!impor...
```

```
4 Contact
```

```
5 Employment...
```

```
6 Notify Me
```

```
7 Accessibility
```

8 `<a href="/" target="_self" data-custom-button-processed="true" data-acsb-clickable-contrast-skipped="true"><span data-="" " data--position="before" >Facebook</span><em class="fa fa..."`

| # | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. | Yes      | 5         | 0        | 100   |

### Code snapshots of successful elements

```
1 Facebook<em class="fa fa...
```

```
2 Twitter<em class="fa fa-...
```

```
3 <i...
```

```
4 <a class="cs-link acsb-bg-image " href="https://coellpd.org/" style="background-image: url (https://content.schoolinsites.com/api/documents/aafaa27ce7a14473b1753a88f1ad64e9.jpg);background-color:#ffffff!important;color:#000000!important;" target="_bla...
```

```
5 <img src="https://content.schoolinsites.com/api/documents/1536a33f166240af9c3ef..."
```



| # | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading. | Yes      | Pass      | -        | 100   |

### Code snapshots of successful elements

```
1 <h1 class="cs-page-title " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">CENTENNIAL BOARD OF COOPERATIVE SERVICES</h1>
```

| # | Element                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text. | Yes      | 3         | 0        | 100   |

| # | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | Elements that visually function as headings but are not coded with a heading tag should include a <code>role="heading"</code> attribute or be updated to use the correct heading tag | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

1 `<span style="font-size:x-large;font-family:Verdana, Geneva, sans-serif;" data-acsb-original-style="font-size:x-large;font-family:Verdana, Geneva, sans-serif;" role="heading" data-acsb-fake-title="true" aria-level="3"><strong style=";background-color...`

2 `<strong style=";background-color:#ffffff!important;color:#000000!important;">CENTENNIAL BOCES HIGH SCHOOL</strong>`

3 `<span style="font-size:x-large;font-family:Verdana, Geneva, sans-serif;;background-color:#ffffff!important;color:#000000!important;" data-acsb-original-style="font-size:x-large;font-family:Verdana, Geneva, sans-serif;" role="heading" data-acsb-fake-...`

| # | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes      | 9         | 0        | 100   |

### Code snapshots of successful elements

```
1 <i name="searchGo" class="fa fa-search" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-textual-ops="search" role="button">Search</i>
```

```
2 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="0" class="active" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-="true" " data--position="bef...
```

```
3 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="1" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
4 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="2" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
5 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="3" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
6 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="4" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
7 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="5" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
8 <li id="pauseButton_angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" role="button" tabindex="0" data-acsb-textual-ops="move"> Move
```

```
9 <li class="csc-usertools-login" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="/sys/account/login" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-me
n...
```

```
2 <ul class="navbar-nav nav scrollable-nav-menu cs-navbar-list" data-acsb-menu="ul" data-acsb-main-menu="true" aria-label="Main Menu" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a class="cs-link cs-item-title " href="/...
```

| #  | Element                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 16 | Menu items that have a dropdown should include an aria-haspopup="true" attribute. | Yes      | Pass      | -        | 100   |

### Code snapshots of successful elements

```
1 <a class="dropdown-toggle cs-link cs-item-title " href="#" data-toggle="dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff;i...
```

| #  | Element                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 17 | Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed. | Yes      | Pass      | -        | 100   |

### Code snapshots of successful elements

```
1 <a class="dropdown-toggle cs-link cs-item-title " href="#" data-toggle="dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!i...
```

| #  | Element                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes      | 6         | 0        | 100   |

### Code snapshots of successful elements

```
1
```

```
4
```

```
5
```



| #  | Element                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 19 | Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 20 | Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a role="presentation" or role="none" attribute. | Yes      | 25        | 0        | 100   |

### Code snapshots of successful elements

```
1 <i class="fa fa-sign-in " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
2 <i class="fa fa-bars" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
3 <i class="fa fa-fw fa-regular fa-users " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
4 <i class="fa fa-fw fa-regular fa-bank " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
5 <i class="fa fa-fw fa-star-o " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
6 <i class="fa fa-fw fa-regular fa-dollar-sign " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
7 <i class="fa fa-fw fa-file-pdf-o " style="background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
8
```

```
9
```

10

```

```

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24 | Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name). | Yes      | Pass      | -        | 100   |

### Code snapshots of successful elements

```
1 <input id="q" type="text" name="searchInput" placeholder="Search" data-acsb-validation-uuid="q" data-acsb-field-visible="true" aria-label="Search" data-acsb-tooltip="Search">
```

| #  | Element                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Form elements must have unique IDs to ensure that their corresponding labels provide accurate information. | No       | 0         | 0        |       |

| #  | Element                                                                                                           | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Required form fields should include aria-required="true" to inform screen-reader users of the field's validation. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute. | Yes      | 44        | 0        | 100   |

### Code snapshots of successful elements

```
1 <div class="navbar navbar-default cs-navbar-default " aria-labelledby="navMenuTitle_62734077959e44cbb09c48a8f4007f6d"> <div class="navbar-header cs-navbar-header" aria-hidden="true" > <button class="navbar-toggle cs-navbar-toggle..."
```

```
2 <ul class="dropdown-menu allow-focus dropdown-menu-right acsb-hidden " aria-labelledby="calViewsBtn" aria-hidden="true" data-acsb-menu="ul" data-acsb-dropdown="aonhzdkd8nhr" role="region" aria-label="Submenu" > ...
```

```
3 <td aria-labelledby="fc-dom-2" role="gridcell" data-date="2024-12-01" class="fc-day fc-day-sun fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 1, 2024" id="fc-dom-..."
```

```
4 <td aria-labelledby="fc-dom-4" role="gridcell" data-date="2024-12-02" class="fc-day fc-day-mon fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 2, 2024" id="fc-dom-..."
```

```
5 <td aria-labelledby="fc-dom-6" role="gridcell" data-date="2024-12-03" class="fc-day fc-day-tue fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 3, 2024" id="fc-dom-..."
```

```
6 <td aria-labelledby="fc-dom-8" role="gridcell" data-date="2024-12-04" class="fc-day fc-day-wed fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 4, 2024" id="fc-dom-..."
```

```
7 <td aria-labelledby="fc-dom-10" role="gridcell" data-date="2024-12-05" class="fc-day fc-day-thu fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 5, 2024" id="fc-dom-..."
```

8 `<td aria-labelledby="fc-dom-12" role="gridcell" data-date="2024-12-06" class="fc-day fc-day-fri fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 6, 2024" id="fc-dom...`

9 `<td aria-labelledby="fc-dom-14" role="gridcell" data-date="2024-12-07" class="fc-day fc-day-sat fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 7, 2024" id="fc-dom...`

10 `<td aria-labelledby="fc-dom-16" role="gridcell" data-date="2024-12-08" class="fc-day fc-day-sun fc-day-past fc-daygrid-day"><div class="fc-daygrid-day-frame fc-scrollgrid-sync-inner"><div class="fc-day-top"><a aria-label="December 8, 2024" id="fc-dom...`

| #  | Element                                                                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | All forms should include a submission button built as an <code>input type="submit"</code> or a <code>"button"</code> element, or have a <code>role="button"</code> attribute. The button can be hidden if the form supports submission via the Enter key. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | Search forms should include a <code>role="search"</code> attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <title>Home - Centennial BOCES</title>
```

| #  | Element                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <html style="min-height: 100%; height: 100%; --acsb-keynav: 3px;" lang="en" id="acsb-light-contrast" class="acsb-light-contrast"><head aria-hidden="true" > <meta charset="utf-8"> <meta name="viewport" content="width=device-width, initial-scal...
```



| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

| #  | Element                                                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere. | Yes      | 3         | 0        | 100   |

#### Code snapshots of successful elements

```
1 <div class="page-content cs-main-content csc-content-tree" id="maincontent"
 role="main" data-acsb-main="true"><div class=" content-zone csc-content-zon
 e" name="body"> <div class="content-node csc-content-node" style="undefined;
 padding-top:...
```

```
2 <footer class="cs-footer " style=";background-color:#ffffff!important;color:
 #000000!important;" role="presentation"> <div class="cs-footer-content"> <di
 v class=" content-zone csc-content-zone" name="footer"> <div class="conten
 t...
```

| #  | Element                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 37 | Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background. | Yes      | 70        | 0        | 100   |

### Code snapshots of successful elements

```
1 <i class="fa fa-sign-in " style=";backgrou
```

```
2 Register
```

```
3 <a class="cs-link cs-item-title " href="/" target="_self" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" style=";background-color:#ffffff!important;color:#000000!impor...
```

```
4 <a class="dropdown-toggle cs-link cs-item-title " href="#" data-toggle="dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!i...
```

```
5 Contact
```

```
6 Employment...
```

```
7 Notify Me
```

```
8 <a class="cs-link cs-item-title " href="/accessibility" target="_self" data-
custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link
="true" style=";background-color:#ffffff!important;color:#000000!important;
">Accessibility
```

```
9 <h1 class="cs-page-title " style=";background-color:#ffffff!important;color:
#000000!important;" role="heading" aria-level="1">CENTENNIAL BOARD OF COOPER
ATIVE SERVICES</h1>
```

```
10 <span style="font-family:Verdana, Geneva, sans-serif;font-size:small;;backg
round-color:#ffffff!important;color:#000000!important;" data-acsb-original-
style="font-family:Verdana, Geneva, sans-serif;font-size:small;" >Welcome!&
nbsp;
```

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | Yes      | 6         | 0        | 100   |

### Code snapshots of successful elements

```
1 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="0" class="active" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button"><span data-="" data--position="bef...
```

```
2 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="1" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
3 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="2" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
4 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="3" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
5 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="4" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

```
6 <li data-target="#angelo_slideshow_5b0185d5810942e2acbf7aa369ee8ede" data-slide-to="5" tabindex="0" data-acsb-clickable-contrast-skipped="true" data-acsb-carousel-paging="true" role="button">Next car...
```

| #  | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42 | Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table. | No       | 0         | 0        |       |

| #  | Element                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                          | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted. | No       | 0         | 0        |       |

| #  | Element                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance. | Yes      | Pass      | -        | 100   |



| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers. | Yes      | Pass      | -        | 100   |

### Code snapshots of successful elements

```
1 <iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3038.1466246926598!2d-104.77029558421668!3d40.4056024793665!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x876ea6a6ec776379%3A0x52c74fe934407349!2s2020%20C1ubhouse%20Dr%2C%20Gree...
```

This audit is subject to the [terms of service](#)