



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 15, 2020

Brian Gereau
Hadley Luzerne CSD
273 Lake Ave
Lake Luzerne, NY 12846

Work Order No: 201113084

TEL: (518) 696-2378

RE:

School

Dear Brian Gereau:

Adirondack Environmental Services, Inc received 84 samples on 11/13/2020 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Christopher Hess
QA Manager

ELAP#: 10709

Adirondack Environmental Services, Inc

CASE NARRATIVE

Hadley Luzerne CSD

Date: 15-Dec-20

School

Lab WorkOrder: 201113084

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:	ND : Not Detected at reporting limit	C: CCV below acceptable Limits
	J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
	B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
	X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
	H: Hold time exceeded	Z: Duplication outside acceptable limits
	N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
	N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-001

Collection Date: 11/11/2020 6:50:00 AM

Client Sample ID: ES-ME-F

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	ND	1.0		µg/L	1	12/7/2020 8:42:16 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 201113084-002

Collection Date: 11/11/2020 6:52:00 AM

Client Sample ID: ES-112-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	20.7	1.0	X	µg/L	1	12/7/2020 9:00:52 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 201113084-003

Collection Date: 11/11/2020 6:55:00 AM

Client Sample ID: ES-111A-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	4.6	1.0		µg/L	1	12/7/2020 9:04:35 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-004

Collection Date: 11/11/2020 6:56:00 AM

Client Sample ID: ES-115C-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 6:56:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-005

Collection Date: 11/11/2020 6:56:00 AM

Client Sample ID: ES-114-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 6:56:00 AM
-------------	----------------	--	--	----	--	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-006

Collection Date: 11/11/2020 7:00:00 AM

Client Sample ID: ES-123-S4

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.8	1.0		µg/L	1	12/7/2020 9:08:18 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-007

Collection Date: 11/11/2020 7:03:00 AM

Client Sample ID: ES-123-S5

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.2	1.0		µg/L	1	12/7/2020 9:12:02 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-008

Collection Date: 11/11/2020 7:03:00 AM

Client Sample ID: ES-123-S6

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	8.0	1.0		µg/L	1	12/7/2020 9:15:46 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-009

Collection Date: 11/11/2020 7:03:00 AM

Client Sample ID: ES-123-S7

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.4	1.0		µg/L	1	12/7/2020 9:19:30 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-010

Collection Date: 11/11/2020 7:03:00 AM

Client Sample ID: ES-123-S8

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	14.5	1.0		µg/L	1	12/7/2020 9:23:15 PM
------	------	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-011

Collection Date: 11/11/2020 7:07:00 AM

Client Sample ID: ES-223-S1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	8.9	1.0		µg/L	1	12/7/2020 9:34:28 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-012

Collection Date: 11/11/2020 7:07:00 AM

Client Sample ID: ES-223-S2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	6.6	1.0		µg/L	1	12/7/2020 9:53:04 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-013

Collection Date: 11/11/2020 7:08:00 AM

Client Sample ID: ES-BH-F

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:08:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-014

Collection Date: 11/11/2020 7:09:00 AM

Client Sample ID: ES-235-S1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.8	1.0		µg/L	1	12/7/2020 9:56:47 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-015

Collection Date: 11/11/2020 7:09:00 AM

Client Sample ID: ES-235-S2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.8	1.0		µg/L	1	12/7/2020 10:00:31 PM
------	-----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-016

Collection Date: 11/11/2020 7:20:00 AM

Client Sample ID: ES-B2H-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.2	1.0		µg/L	1	12/7/2020 10:04:15 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-017

Collection Date: 11/11/2020 7:21:00 AM

Client Sample ID: ES-B2H-F1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:21:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-018

Collection Date: 11/11/2020 7:21:00 AM

Client Sample ID: ES-B2H-F2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:21:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-019

Collection Date: 11/11/2020 7:19:00 AM

Client Sample ID: ES-B2H-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.0	1.0		µg/L	1	12/7/2020 10:07:59 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-020

Collection Date: 11/11/2020 7:20:00 AM

Client Sample ID: ES-B1H-F

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:20:00 AM
-------------	----------------	--	--	----	--	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-021

Collection Date: 11/11/2020 7:14:00 AM

Client Sample ID: ES-239-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.2	1.0		µg/L	1	12/7/2020 10:11:43 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-022

Collection Date: 11/11/2020 7:15:00 AM

Client Sample ID: ES-240-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.6	1.0		µg/L	1	12/7/2020 10:15:28 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-023

Collection Date: 11/11/2020 7:16:00 AM

Client Sample ID: ES-242-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	6.8	1.0		µg/L	1	12/7/2020 10:34:08 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-024

Collection Date: 11/11/2020 7:17:00 AM

Client Sample ID: ES-241-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	10.3	1.0		µg/L	1	12/7/2020 10:37:52 PM
------	------	-----	--	------	---	-----------------------

Lab SampleID: 201113084-025

Collection Date: 11/11/2020 7:12:00 AM

Client Sample ID: ES-243-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	ND	1.0		µg/L	1	12/7/2020 10:41:36 PM
------	----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-026

Collection Date: 11/11/2020 7:13:00 AM

Client Sample ID: ES-244-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.1	1.0		µg/L	1	12/7/2020 10:45:19 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-027

Collection Date: 11/11/2020 7:25:00 AM

Client Sample ID: ES-237-S1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.1	1.0		µg/L	1	12/7/2020 10:49:03 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-028

Collection Date: 11/11/2020 7:26:00 AM

Client Sample ID: ES-237-S2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:26:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-029

Collection Date: 11/11/2020 7:26:00 AM

Client Sample ID: ES-237-S3

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:26:00 AM
-------------	----------------	--	--	----	--	-----------------------

Lab SampleID: 201113084-030

Collection Date: 11/11/2020 7:26:00 AM

Client Sample ID: ES-237-S4

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 7:26:00 AM
-------------	----------------	--	--	----	--	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-031

Collection Date: 11/11/2020 7:26:00 AM

Client Sample ID: ES-237-S5

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation

Out of Service

NA

11/11/2020 7:26:00 AM

Lab SampleID: 201113084-032

Collection Date: 11/11/2020 7:29:00 AM

Client Sample ID: ES-CH-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead

ND

1.0

µg/L

1

12/7/2020 11:00:14 PM

Lab SampleID: 201113084-033

Collection Date: 11/11/2020 7:29:00 AM

Client Sample ID: ES-CH-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead

ND

1.0

µg/L

1

12/7/2020 11:18:55 PM

Lab SampleID: 201113084-034

Collection Date: 11/11/2020 7:30:00 AM

Client Sample ID: ES-GH-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead

5.1

1.0

µg/L

1

12/7/2020 11:22:41 PM

Lab SampleID: 201113084-035

Collection Date: 11/11/2020 7:30:00 AM

Client Sample ID: ES-GH-SPIGOT

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead

20.4

1.0

X

µg/L

1

12/7/2020 11:26:25 PM

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-036

Collection Date: 11/11/2020 7:36:00 AM

Client Sample ID: ES-334-S1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.7	1.0		µg/L	1	12/7/2020 11:30:09 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-037

Collection Date: 11/11/2020 7:36:00 AM

Client Sample ID: ES-334-S2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.9	1.0		µg/L	1	12/7/2020 11:33:52 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-038

Collection Date: 11/11/2020 7:49:00 AM

Client Sample ID: ES-APOD-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.3	1.0		µg/L	1	12/7/2020 11:37:36 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-039

Collection Date: 11/11/2020 7:50:00 AM

Client Sample ID: ES-500-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.7	1.0		µg/L	1	12/7/2020 11:41:20 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-040

Collection Date: 11/11/2020 7:51:00 AM

Client Sample ID: ES-501-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.2	1.0		µg/L	1	12/7/2020 11:45:04 PM
------	-----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-041

Collection Date: 11/11/2020 7:52:00 AM

Client Sample ID: ES-502-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.2	1.0		µg/L	1	12/7/2020 11:48:48 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-042

Collection Date: 11/11/2020 7:53:00 AM

Client Sample ID: ES-503-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.5	1.0		µg/L	1	12/8/2020 12:07:28 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-043

Collection Date: 11/11/2020 7:49:00 AM

Client Sample ID: ES-APOD-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.5	1.0		µg/L	1	12/8/2020 12:11:13 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-044

Collection Date: 11/11/2020 8:01:00 AM

Client Sample ID: ES-CPOD-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.5	1.0		µg/L	1	12/8/2020 12:14:58 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-045

Collection Date: 11/11/2020 8:02:00 AM

Client Sample ID: ES-512-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.4	1.0		µg/L	1	12/8/2020 12:18:43 AM
------	-----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-046

Collection Date: 11/11/2020 8:03:00 AM

Client Sample ID: ES-513-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.1	1.0		µg/L	1	12/8/2020 12:22:27 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-047

Collection Date: 11/11/2020 8:03:00 AM

Client Sample ID: ES-514-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	4.2	1.0		µg/L	1	12/8/2020 12:26:11 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-048

Collection Date: 11/11/2020 8:02:00 AM

Client Sample ID: ES-515-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.7	1.0		µg/L	1	12/8/2020 12:29:55 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-049

Collection Date: 11/11/2020 8:00:00 AM

Client Sample ID: ES-CPOD-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	6.2	1.0		µg/L	1	12/8/2020 12:33:40 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-050

Collection Date: 11/11/2020 7:55:00 AM

Client Sample ID: ES-BPOD-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	4.3	1.0		µg/L	1	12/8/2020 12:44:51 AM
------	-----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-051

Collection Date: 11/11/2020 7:58:00 AM

Client Sample ID: ES-509-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.5	1.0		µg/L	1	12/8/2020 12:56:04 AM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 201113084-052

Collection Date: 11/11/2020 7:58:00 AM

Client Sample ID: ES-508-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.5	1.0		µg/L	1	12/8/2020 1:07:19 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-053

Collection Date: 11/11/2020 7:57:00 AM

Client Sample ID: ES-507-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.3	1.0		µg/L	1	12/8/2020 1:11:03 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-054

Collection Date: 11/11/2020 7:56:00 AM

Client Sample ID: ES-506-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.6	1.0		µg/L	1	12/8/2020 1:14:48 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-055

Collection Date: 11/11/2020 7:54:00 AM

Client Sample ID: ES-BPOD-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	4.0	1.0		µg/L	1	12/8/2020 1:18:32 AM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-056

Collection Date: 11/11/2020 7:53:00 AM

Client Sample ID: ES-EH-F1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 7:53:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-057

Collection Date: 11/11/2020 7:53:00 AM

Client Sample ID: ES-EH-F2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 7:53:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-058

Collection Date: 11/11/2020 7:53:00 AM

Client Sample ID: ES-EH-F1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 7:53:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-059

Collection Date: 11/11/2020 7:53:00 AM

Client Sample ID: ES-EH-F2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 7:53:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-060

Collection Date: 11/11/2020 7:43:00 AM

Client Sample ID: ES-366-S1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	6.9	1.0	µg/L	1	12/8/2020 1:29:44 AM
------	-----	-----	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-061

Collection Date: 11/11/2020 7:43:00 AM

Client Sample ID: ES-366-IM

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	41.0	1.0	X	µg/L	1	12/8/2020 1:33:28 AM
------	------	-----	---	------	---	----------------------

Lab SampleID: 201113084-062

Collection Date: 11/11/2020 7:43:00 AM

Client Sample ID: ES-366-S2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.2	1.0		µg/L	1	12/8/2020 1:44:42 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-063

Collection Date: 11/11/2020 7:43:00 AM

Client Sample ID: ES-366-S3

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.7	1.0		µg/L	1	12/8/2020 1:48:26 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-064

Collection Date: 11/11/2020 7:40:00 AM

Client Sample ID: ES-368-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.2	1.0		µg/L	1	12/8/2020 1:52:11 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-065

Collection Date: 11/11/2020 7:40:00 AM

Client Sample ID: ES-369-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.6	1.0		µg/L	1	12/8/2020 1:55:56 AM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-066

Collection Date: 11/11/2020 8:07:00 AM

Client Sample ID: ES-452-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.8	1.0		µg/L	1	12/7/2020
------	-----	-----	--	------	---	-----------

Lab SampleID: 201113084-067

Collection Date: 11/11/2020 8:08:00 AM

Client Sample ID: ES-400-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.1	1.0		µg/L	1	12/8/2020 2:03:26 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-068

Collection Date: 11/11/2020 8:10:00 AM

Client Sample ID: ES-460A-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.8	1.0		µg/L	1	12/8/2020 2:14:38 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-069

Collection Date: 11/11/2020 8:13:00 AM

Client Sample ID: ES-446-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.1	1.0		µg/L	1	12/8/2020 2:18:23 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-070

Collection Date: 11/11/2020 8:14:00 AM

Client Sample ID: ES-446-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 8:14:00 AM
-------------	----------------	--	--	----	--	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-071

Collection Date: 11/11/2020 8:11:00 AM

Client Sample ID: ES-443-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	ND	1.0		µg/L	1	12/8/2020 2:29:37 AM
------	----	-----	--	------	---	----------------------

Lab SampleID: 201113084-072

Collection Date: 11/11/2020 8:11:00 AM

Client Sample ID: ES-443-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	1.7	1.0		µg/L	1	12/8/2020 2:40:52 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-073

Collection Date: 11/11/2020 8:22:00 AM

Client Sample ID: ES-LGI-GBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	4.2	1.0		µg/L	1	12/8/2020 2:44:36 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-074

Collection Date: 11/11/2020 8:22:00 AM

Client Sample ID: ES-LGI-BBS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	5.5	1.0		µg/L	1	12/8/2020 2:48:22 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-075

Collection Date: 11/11/2020 8:23:00 AM

Client Sample ID: ES-CH-F1

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		11/11/2020 8:23:00 AM
-------------	----------------	--	--	----	--	-----------------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-076

Collection Date: 11/11/2020 8:23:00 AM

Client Sample ID: ES-CH-F2

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 8:23:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-077

Collection Date: 11/11/2020 8:25:00 AM

Client Sample ID: ES-GL-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	ND	1.0	µg/L	1	12/8/2020 2:59:34 AM
------	----	-----	------	---	----------------------

Lab SampleID: 201113084-078

Collection Date: 11/11/2020 8:26:00 AM

Client Sample ID: ES-GL-F

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020 8:26:00 AM
-------------	----------------	----	-----------------------

Lab SampleID: 201113084-079

Collection Date: 11/11/2020 8:24:00 AM

Client Sample ID: ES-BL-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.4	1.0	µg/L	1	12/8/2020 3:03:19 AM
------	-----	-----	------	---	----------------------

Lab SampleID: 201113084-080

Collection Date: 11/11/2020

Client Sample ID: ES-BL-F

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service	NA	11/11/2020
-------------	----------------	----	------------

Adirondack Environmental Services, Inc

Date: 15-Dec-20

CLIENT: Hadley Luzerne CSD

LabWork Order: 201113084

Project: School

PO#:

Lab SampleID: 201113084-081

Collection Date: 11/11/2020 7:33:00 AM

Client Sample ID: ES-354-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	7.3	1.0		µg/L	1	12/8/2020 3:07:05 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-082

Collection Date: 11/11/2020 7:33:00 AM

Client Sample ID: ES-342-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	2.5	1.0		µg/L	1	12/8/2020 3:18:21 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-083

Collection Date: 11/11/2020 7:33:00 AM

Client Sample ID: ES-353-BS

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	3.8	1.0		µg/L	1	12/8/2020 3:22:06 AM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 201113084-084

Collection Date: 11/11/2020 7:38:00 AM

Client Sample ID: ES-345A-S

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 11/16/2020)

Lead	6.3	1.0		µg/L	1	12/8/2020 3:25:51 AM
------	-----	-----	--	------	---	----------------------



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

20113079 AE

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley-Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: <i>Ryan Bawley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
001	ES-ME-F	11/11/2020	0650	PW		X	1	0	Lead
002	ES-112-BS		0652	PW		X	1	0	Lead
003	ES-111A-BS		655	PW		X	1	0	Lead
004	ES-115C-S		656	PW		X	1	0	Lead observation only
005	ES-114-BS		656	PW		X	1	0	Lead observation only
006	ES-123-S4		0700	PW		X	1	0	Lead
007	ES-123-S5		0703	PW		X	1	0	Lead
008	ES-123-S6		0703	PW		X	1	0	Lead
009	ES-123-S7		0703	PW		X	1	0	Lead
010	ES-123-S8		0703	PW		X	1	0	Lead
011	ES-223-S1		0707	PW		X	1	0	Lead
012	ES-223-S2		0707	PW		X	1	0	Lead
013	ES-BH-F		0708	PW		X	1	0	Lead observation only
014	ES-235-S1		0709	PW		X	1	0	Lead
015	ES-235-S2		0709	PW		X	1	0	Lead
016	ES-B2H-GBS		0720	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____		Special Instructions/Remarks: PLEASE FILL ALL PINK SHADED AREAS		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received for Laboratory by: <i>A. C...</i>	Date 11/13/20	Time 4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: <u>Y</u> / N 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaC 4=Na ₂ S ₂ O ₃ 9=NaOH pH: 10=Other	Received Within Holding Times: <u>Y</u> / N Notes:  201113084
Bottles AES: <u>Y</u> / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

201113084
CHAIN OF CUSTODY RECORD

AES Work Order#:

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: <i>Ryan Sawley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
017	ES-B2H-F1	11/11/2020	0721	PW		X	1	0	Lead observation only
018	ES-B2H-F2		0721	PW		X	1	0	Lead observation only
019	ES-B2H-BBS		0719	PW		X	1	0	Lead
020	ES-B1H-F		0720	PW		X	1	0	Lead observation only
021	ES-239-S		0714	PW		X	1	0	Lead
022	ES-240-S		0715	PW		X	1	0	Lead
023	ES-242-S		0716	PW		X	1	0	Lead
024	ES-241-S		0717	PW		X	1	0	Lead
025	ES-243-GBS		0712	PW		X	1	0	Lead
026	ES-244-BBS		0713	PW		X	1	0	Lead
027	ES-237-S1		0725	PW		X	1	0	Lead
028	ES-237-S2		0726	PW		X	1	0	Lead observation only
029	ES-237-S3		0726	PW		X	1	0	Lead observation only
030	ES-237-S4		0726	PW		X	1	0	Lead observation only
031	ES-237-S5		0726	PW		X	1	0	Lead observation only
032	ES-CH-BBS		0729	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other:		Special Instructions/Remarks:		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	Date 11/13/20	Time 4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: <u>Y</u> / N 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaOH pH>9 4=Na ₂ S ₂ O ₃ 9=NaOH pH>10 10=Other	Received Within Holding Times: <u>Y</u> / N Notes:
Bottles AES: <u>Y</u> / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

201113084
CHAIN OF CUSTODY RECORD

AES Work Order#:

201113079AC

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: <i>Ryan Bailey</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
033	ES-CH-GBS	11/11/2010	0729	PW		X	1	0	Lead
034	ES-GH-S		0730	PW		X	1	0	Lead
035	ES-GH-SPIGOT		0730	PW		X	1	0	Lead
036	ES-334-S1		0736	PW		X	1	0	Lead
037	ES-334-S2		0736	PW		X	1	0	Lead
038	ES-APOD-BBS		0749	PW		X	1	0	Lead
039	ES-500-S		0750	PW		X	1	0	Lead
040	ES-501-S		0751	PW		X	1	0	Lead
041	ES-502-S		0752	PW		X	1	0	Lead
042	ES-503-S		0753	PW		X	1	0	Lead
043	ES-APOD-GBS		0749	PW		X	1	0	Lead
044	ES-CPOD-GBS		0801	PW		X	1	0	Lead
045	ES-512-S		0802	PW		X	1	0	Lead
046	ES-513-S		0803	PW		X	1	0	Lead
047	ES-514-S		0803	PW		X	1	0	Lead
048	ES-515-S		0802	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____		Special Instructions/Remarks:		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	Date 11/13/2010	Time 4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: ☒ / N 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaOH pH>9 4=Na ₂ S ₂ O ₃ 9=NaOH pH>10 10=Other	Received Within Holding Times: ☒ / N Notes:
Bottles AES: ☒ / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley-Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: <i>Ryan Baisley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type	# of Cont's	Preservative	Analysis		
				Matrix	C	G			
049	ES-CPOD-BBS	11/11/2006	0800	PW		X	1	0	Lead
050	ES-BPOD-BBS		0755	PW		X	1	0	Lead
051	ES-509-S		0758	PW		X	1	0	Lead
052	ES-508-S		0758	PW		X	1	0	Lead
053	ES-507-S		0757	PW		X	1	0	Lead
054	ES-506-S		0756	PW		X	1	0	Lead
055	ES-BPOD-GBS		0754	PW		X	1	0	Lead
056	ES-EH-F1		0753	PW		X	1	0	Lead observation only
057	ES-EH-F2		0753	PW		X	1	0	Lead observation only
058	ES-EH-F1		0753	PW		X	1	0	Lead observation only
059	ES-EH-F2		0753	PW		X	1	0	Lead observation only
060	ES-366-S1		0743	PW		X	1	0	Lead
061	ES-366-IM		0743	PW		X	1	0	Lead
062	ES-366-S2		0743	PW		X	1	0	Lead
063	ES-366-S3		0743	PW		X	1	0	Lead
064	ES-368-GBS	✓	0740	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____		Special Instructions/Remarks: PLEASE FILL ALL PINK SHADED AREAS		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	Date	Time
			11/13/20	4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: Y / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other	Received Within Holding Times: Y / N Notes:
Bottles AES: Y / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

201113084
201113079AE

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley-Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: <i>Ryan Baisley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
065	ES-369-BBS	11/11/2020	0740	PW		X	1	0	Lead
066	ES-452-S		0807	PW		X	1	0	Lead
067	ES-400-S		0808	PW		X	1	0	Lead
068	ES-460A-BS		0810	PW		X	1	0	Lead
069	ES-446-S		0813	PW		X	1	0	Lead
070	ES-446-BS		0814	PW		X	1	0	Lead observation only
071	ES-443-S		0811	PW		X	1	0	Lead
072	ES-443-BS		0811	PW		X	1	0	Lead
073	ES-LGI-GBS		0822	PW		X	1	0	Lead
074	ES-LGI-BBS		0822	PW		X	1	0	Lead
075	ES-CH-F1		0823	PW		X	1	0	Lead observation only
076	ES-CH-F2		0823	PW		X	1	0	Lead observation only
077	ES-GL-S		0825	PW		X	1	0	Lead
078	ES-GL-F		0826	PW		X	1	0	Lead observation only
079	ES-BL-S		0824	PW		X	1	0	Lead
080	ES-BL-F	✓		PW		X	1	0	Lead observation only

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other:		Special Instructions/Remarks: PLEASE FILL ALL PINK SHADED AREAS		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>	Date 11/13/20	Time 4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: Y / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other	Received Within Holding Times: Y / N Notes:
Bottles AES: Y / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

201113084

CHAIN OF CUSTODY RECORD

AES Work Order#:

201113079/10

COC Reference:

1378

A full service analytical research laboratory offering solutions to environmental concerns

Hadley-Luzerne CSD		Address:							
Send Report to:		Project Name (Location): School			Samplers Name: Ryan Bawley				
Client Phone #:		Client PO #:			Samplers Signature:				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
081	ES-354-BS	11/11/2020	0733	PW		X	1	0	Lead
082	ES-342-S		0733	PW		X	1	0	Lead
083	ES-353-BS		0733	PW		X	1	0	Lead
084	ES-345A-S		0738	PW		X	1	0	Lead
085									
086									
087									
088									
089									
090									
091									
092									
093									
094									
095									
096									

Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____		Special Instructions/Remarks: PLEASE FILL ALL PINK SHADED AREAS		
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard				
NOTE: Samples received after 3:30pm are considered next business day.				
Relinquished by: (Signature) _____		Received by: (Signature) _____	Date _____	Time _____
Relinquished by: (Signature) _____		Received by: (Signature) _____	Date _____	Time _____
Relinquished by: (Signature) _____		Received for Laboratory by: _____	Date 11/13/20	Time 4:02pm

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: Y / N 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaOH pH>9 4=Na ₂ S ₂ O ₃ 9=NaOH pH>10 10=Other	Received Within Holding Times: Y / N Notes:
Bottles AES: Y / N		



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.