

WHAT DOES A SAFE SLEEP **ENVIRONMENT LOOK LIKE?**

The following image shows a safe sleep environment for baby.















Room share: Give babies their own sleep space in your room, separate from your bed.

Use a firm, flat, and level sleep surface, covered only by a fitted sheet*.

Remove everything from baby's sleep area, except a fitted sheet to cover the mattress. No objects, toys,

Use a wearable blanket to keep baby warm without blankets in the sleep area.

Make sure baby's head and face stay uncovered

Place babies on their backs to sleep, for naps and at night.

Couches and armchairs are not safe for baby to sleep on alone, with people, or with pets.

Keep baby's surroundings smoke/vape









SAFE SLEEP FOR YOUR BABY

Reduce the Risk of Sudden Infant Death Syndrome (SIDS) and Other Sleep-Related Infant Deaths

Place babies on their backs to sleep for naps and at night.



Stay smoke- and vapefree during pregnancy, and keep baby's surroundings smokeand vape-free.



Use a sleep surface for baby that is *firm* (returns to original shape quickly if pressed on), *flat* (like a table, not a hammock),

Stay drug- and alcoholfree during pregnancy, and make sure anyone caring for baby is drugand alcohol-free.



Avoid letting baby get too hot, and keep baby's head and face

uncovered during

sleep.



Avoid heart, breathing, motion, and other monitors to reduce the risk of SIDS.

Avoid products and

safe sleep guidance,

especially those that

SIDS and sleep-related

claim to "prevent"

deaths.

devices that go against

Feeding babies human milk by direct

no formula or other things added, for

the first 6 months provides the greatest

breastfeeding, if possible, or by pumping



Feed your baby human milk, like by breastfeeding.

Share a room with

baby for at least the

first 6 months. Give

babies their own sleep

space (crib, bassinet,

or portable play yard)

from your bed.

in your room, separate

level (not at an angle or

only with a fitted sheet.

incline), and covered



Get regular medical care throughout pregnancy.



Avoid swaddling once baby starts to roll over (usually around 3 months of age), and keep in mind that swaddling does not reduce SIDS risk.



Keep things out of baby's sleep area—no objects, toys, or other items.



Follow health care provider advice on vaccines, checkups, and other health issues for baby.



Give babies plenty of "tummy time" when they are awake, and when someone is watching them.



Offer baby a pacifier for naps and at night once they are breastfeeding well.



For more information about the Safe to Sleep® campaign, contact us:

Phone: 1-800-505-CRIB (2742) | Fax: 1-866-760-5947

Email: SafetoSleep@mail.nih.gov

Website: https://safetosleep.nichd.nih.gov Telecommunications Relay Service: 7-1-1

