

**JACKSON COUNTY CENTRAL PUBLIC SCHOOL ISD#2895
ANNUAL NOTIFICATIONS**

District Asbestos Notification

We are pleased to inform you that the district has continued to respond to asbestos related issues in a cautious and proactive manner. JCC ISD #2895 in accordance with the federal Asbestos Hazard Emergency Response Act (AHERA) continues to implement an EPA approved management plan. The plan was adopted to identify and manage Asbestos containing Building Materials (ACBM) within our facilities. The condition of ACBM is reviewed every six months. The following asbestos related activities will be conducted during the 2022/2023 school year:

BUILDING	RESPONSE ACTIONS COMPLETED	RESPONSE ACTIONS SCHEDULED
Pleasantview Elementary Middle School	Renovation Abatement Summer 2022	Demolition Abatement Winter 2022
	<u>Periodic Surveillance:</u> - August 2022	<u>Periodic Surveillance:</u> - February 2023
District Wide		

Please be assured that the District's ongoing efforts related to the management and control of asbestos containing materials are geared towards providing a safe and healthy environment for students, employees, and other occupants.

If there are any questions, interested persons should contact the District's Asbestos Program Manager at (507) 847-3608.

Indoor Air Quality Notification

The Jackson County Central Public School District would like to take this opportunity to inform parents and employees of the District's commitment to achieving and maintaining a healthy Indoor Air Quality environment for all students, staff and other building occupants.

The District is in the process of implementing its Indoor Air Quality management plan. This involves performing annual building walkthroughs, IAQ investigations for problem areas, ventilation checklists for mechanical equipment, staff IAQ checklists, and the development of policies related to Indoor Air Quality.

If you have any questions or concerns about indoor air quality at Jackson County Central Public Schools, please contact one of the District's Indoor Air Quality Coordinators at (507) 847-3608.

Lead-In-Water Annual Notice

Minnesota Statute 121A.335 requires public school buildings serving prekindergarten through grade 12 to test for lead in water every 5 years. This statute also requires school districts to make the results of the testing available to the public for review and to notify parents of the availability of the information. Notification may be accomplished by publishing a statement in the "Back to School" newsletter or publication that is available to staff, student, parents and the public.

Jackson County Central Public School District has historically conducted, and continues to conduct, Lead in Drinking Water testing per the Minnesota Department of Health's "Reducing Lead in Drinking Water: A Technical Guidance for Minnesota's School and Child Care Facilities" recommendations. The district has developed a lead in water management plan and testing program that complies with Minnesota Statute 121A.335, as well as recommendations from the Environmental Protection Agency's (EPA's) Lead Contamination Control Act (LCCA) of 1988 and the Minnesota Department of Health (MDH), and Minnesota Department of Education (MDE).

For more information on Jackson County Central Public School District's lead reduction and testing program, please contact the Director of Buildings and Grounds at (507) 847-3608.

Pesticide Notification
General Notice for Parents or Guardians
2022 – 2023 School Year

Dear Parent or Guardian:

A Minnesota state law went into effect in the year 2000 that requires schools to inform parents and guardians if they apply certain pesticides on school property.

Specifically, this law requires schools that apply these pesticides to maintain an estimated schedule of pesticide application and to make the schedule available to parents and guardians for review or copying at each school office.

State law also requires that you be told that the long-term health effects on children from the application of such pesticides or the class of chemicals to which they belong may not be fully understood.

If you would like to be notified prior to pesticide application made on days other than those specified in the estimated schedule (excluding emergency applications), please complete and return the form below and mail it to:

Director of Buildings and Grounds
PO Box 119
Jackson MN, 56143

Sincerely,
Jackson County Central Public School I.S.D. #2895

Request for Pesticide Notification
JCC Public School

Please indicate the building(s) for which you would like information

I understand that the school will make available an estimated schedule of pesticide applications for review and copying at the school office. Should a pesticide application be schedule on a day different from the day(s) specified in the original schedule I would like to be notified. I understand that the school may ask me for reimbursement for the costs of notification.

I would prefer to be notified by (circle): US Mail E-Mail

Please print neatly:

Name of Parent/Guardian: _____ Date: _____

Address: _____

Day Phone: _____ Evening Phone: _____ E-Mail _____