

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Paulsboro HS LIW

Customer PO:

24-2341C

EMSL Sales Rep:

Justin Monturano

Received:

04/07/2025 13:40

Reported:

04/23/2025 15:22

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-FB Lims Reference ID: AD16184-01 Matrix: Drinking Water Sampled: 04/05/25 06:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-HALL1 Lims Reference ID: AD16184-02 Matrix: Drinking Water Sampled: 04/05/25 06:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-HALL1 Lims Reference ID: AD16184-03 Matrix: Drinking Water Sampled: 04/05/25 06:05:00									
Metals									
Lead	1.57		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-NURO2 Lims Reference ID: AD16184-04 Matrix: Drinking Water Sampled: 04/05/25 06:07:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-HALL2 Lims Reference ID: AD16184-06 Matrix: Drinking Water Sampled: 04/05/25 06:10:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-HALL2 Lims Reference ID: AD16184-07 Matrix: Drinking Water Sampled: 04/05/25 06:10:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-HALL3 Lims Reference ID: AD16184-08 Matrix: Drinking Water Sampled: 04/05/25 06:12:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-HALL3 Lims Reference ID: AD16184-09 Matrix: Drinking Water Sampled: 04/05/25 06:12:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:26	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-WC-HALL4 Lims Reference ID: AD16184-10 Matrix: Drinking Water Sampled: 04/05/25 06:14:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:28	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Paulsboro HS LIW

Customer PO: 24-2341C
EMSL Sales Rep: Justin Monturano
Received: 04/07/2025 13:40
Reported: 04/23/2025 15:22

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-03-BF-HALL4 Lims Reference ID: AD16184-11 Matrix: Drinking Water Sampled: 04/05/25 06:14:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-HALL5 Lims Reference ID: AD16184-12 Matrix: Drinking Water Sampled: 04/05/25 06:16:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-HALL5 Lims Reference ID: AD16184-13 Matrix: Drinking Water Sampled: 04/05/25 06:16:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-ICE-TRAIN Lims Reference ID: AD16184-14 Matrix: Drinking Water Sampled: 04/05/25 06:18:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-HALL6 Lims Reference ID: AD16184-15 Matrix: Drinking Water Sampled: 04/05/25 06:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-HALL6 Lims Reference ID: AD16184-16 Matrix: Drinking Water Sampled: 04/05/25 06:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-WC-HALL7 Lims Reference ID: AD16184-17 Matrix: Drinking Water Sampled: 04/05/25 06:22:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-BF-HALL7 Lims Reference ID: AD16184-18 Matrix: Drinking Water Sampled: 04/05/25 06:22:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-HALL8 Lims Reference ID: AD16184-19 Matrix: Drinking Water Sampled: 04/05/25 06:24:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:52	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Paulsboro HS LIW

Customer PO:

24-2341C

EMSL Sales Rep:

Justin Monturano

Received:

04/07/2025 13:40

Reported:

04/23/2025 15:22

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-01-BF-HALL8 Lims Reference ID: AD16184-20 Matrix: Drinking Water Sampled: 04/05/25 06:24:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-WC-HALL9 Lims Reference ID: AD16184-21 Matrix: Drinking Water Sampled: 04/05/25 06:26:00									
Metals									
Lead	1.17		1	1.00	µg/L	04/09/25 16:20	04/10/25 14:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-HALL9 Lims Reference ID: AD16184-22 Matrix: Drinking Water Sampled: 04/05/25 06:26:00									
Metals									
Lead	2.14		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-CAFE Lims Reference ID: AD16184-23 Matrix: Drinking Water Sampled: 04/05/25 06:29:00									
Metals									
Lead	2.63		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-CAFE Lims Reference ID: AD16184-24 Matrix: Drinking Water Sampled: 04/05/25 06:29:00									
Metals									
Lead	2.60		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-BOYLOCK Lims Reference ID: AD16184-25 Matrix: Drinking Water Sampled: 04/05/25 06:31:00									
Metals									
Lead	1.44		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-BOYLOCK Lims Reference ID: AD16184-26 Matrix: Drinking Water Sampled: 04/05/25 06:31:00									
Metals									
Lead	1.16		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-KF-KIT Lims Reference ID: AD16184-27 Matrix: Drinking Water Sampled: 04/05/25 06:33:00									
Metals									
Lead	34.1		2	2.00	µg/L	04/09/25 12:59	04/10/25 15:52	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: PHS-02-KF-KIT (FLUSH) Lims Reference ID: AD16184-28 Matrix: Drinking Water Sampled: 04/05/25 06:34:00									
Metals									
Lead	1.14		1	1.00	µg/L	04/21/25 14:05	04/23/25 02:29	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Paulsboro HS LIW

Customer PO:

24-2341C

EMSL Sales Rep:

Justin Monturano

Received:

04/07/2025 13:40

Reported:

04/23/2025 15:22

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-02-SO-KIT Lims Reference ID: AD16184-29 Matrix: Drinking Water Sampled: 04/05/25 06:35:00									
Metals									
Lead	ND		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-ICE-KIT Lims Reference ID: AD16184-31 Matrix: Drinking Water Sampled: 04/05/25 06:38:00									
Metals									
Lead	ND		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-HALL10 Lims Reference ID: AD16184-32 Matrix: Drinking Water Sampled: 04/05/25 06:40:00									
Metals									
Lead	ND		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-HALL10 Lims Reference ID: AD16184-33 Matrix: Drinking Water Sampled: 04/05/25 06:40:00									
Metals									
Lead	ND		1	1.00	µg/L	04/10/25 10:30	04/10/25 12:33	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-BF-HALL11 Lims Reference ID: AD16184-34 Matrix: Drinking Water Sampled: 04/05/25 06:42:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-HALL11 Lims Reference ID: AD16184-35 Matrix: Drinking Water Sampled: 04/05/25 06:42:00									
Metals									
Lead	1.22		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC1 Lims Reference ID: AD16184-36 Matrix: Drinking Water Sampled: 04/05/25 06:45:00									
Metals									
Lead	4.41		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC2 Lims Reference ID: AD16184-38 Matrix: Drinking Water Sampled: 04/05/25 06:47:00									
Metals									
Lead	7.55		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC3 Lims Reference ID: AD16184-40 Matrix: Drinking Water Sampled: 04/05/25 06:49:00									
Metals									
Lead	9.80		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:19	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Paulsboro HS LIW

Customer PO: 24-2341C
EMSL Sales Rep: Justin Monturano
Received: 04/07/2025 13:40
Reported: 04/23/2025 15:22

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-02-SO-HOEC4 Lims Reference ID: AD16184-42 Matrix: Drinking Water Sampled: 04/05/25 06:51:00									
Metals									
Lead	4.32		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC5 Lims Reference ID: AD16184-44 Matrix: Drinking Water Sampled: 04/05/25 06:53:00									
Metals									
Lead	759		20	20.0	µg/L	04/09/25 12:59	04/10/25 15:54	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: PHS-02-SO-HOEC5 (FLUSH) Lims Reference ID: AD16184-45 Matrix: Drinking Water Sampled: 04/05/25 06:54:00									
Metals									
Lead	12.1		1	1.00	µg/L	04/21/25 14:05	04/23/25 02:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC6 Lims Reference ID: AD16184-46 Matrix: Drinking Water Sampled: 04/05/25 06:55:00									
Metals									
Lead	3.39		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-HOEC7 Lims Reference ID: AD16184-48 Matrix: Drinking Water Sampled: 04/05/25 06:57:00									
Metals									
Lead	1.48		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-SO-FAC Lims Reference ID: AD16184-50 Matrix: Drinking Water Sampled: 04/05/25 06:59:00									
Metals									
Lead	9.25		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-HALL12 Lims Reference ID: AD16184-52 Matrix: Drinking Water Sampled: 04/05/25 07:02:00									
Metals									
Lead	2.76		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-HALL12 Lims Reference ID: AD16184-53 Matrix: Drinking Water Sampled: 04/05/25 07:02:00									
Metals									
Lead	3.44		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-02-WC-HALL13 Lims Reference ID: AD16184-54 Matrix: Drinking Water Sampled: 04/05/25 07:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:40	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Paulsboro HS LIW

Customer PO: 24-2341C
EMSL Sales Rep: Justin Monturano
Received: 04/07/2025 13:40
Reported: 04/23/2025 15:22

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: PHS-02-BF-HALL13 Lims Reference ID: AD16184-55 Matrix: Drinking Water Sampled: 04/05/25 07:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-WC-HALL14 Lims Reference ID: AD16184-56 Matrix: Drinking Water Sampled: 04/05/25 07:06:00									
Metals									
Lead	2.84		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-03-BF-HALL14 Lims Reference ID: AD16184-57 Matrix: Drinking Water Sampled: 04/05/25 07:06:00									
Metals									
Lead	3.25		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-SO-LIB Lims Reference ID: AD16184-58 Matrix: Drinking Water Sampled: 04/05/25 07:09:00									
Metals									
Lead	1.71		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-WC-LIB Lims Reference ID: AD16184-60 Matrix: Drinking Water Sampled: 04/05/25 07:11:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-01-BF-LIB Lims Reference ID: AD16184-61 Matrix: Drinking Water Sampled: 04/05/25 07:12:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: PHS-BOE-SO-KIT Lims Reference ID: AD16184-62 Matrix: Drinking Water Sampled: 04/05/25 07:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/09/25 16:29	04/10/25 15:57	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Paulsboro HS LIW

Customer PO: 24-2341C
EMSL Sales Rep: Justin Monturano
Received: 04/07/2025 13:40
Reported: 04/23/2025 15:22

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012516184
LIMS Reference ID: AD16184
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Paulsboro HS LIW

Customer PO: 24-2341C
EMSL Sales Rep: Justin Monturano
Received: 04/07/2025 13:40
Reported: 04/23/2025 15:22

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



AD16187e

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC			
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts			
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road			
City: Pittsgrove		State/Province: NJ		City: Pittsgrove		State/Province: NJ	
Phone : 856-205-1077		Fax :		Phone: 856-205-1077		Fax:	
Project Name: Paulsboro HS LITW				Email Results To: jeberts@epicenwiro.com / nebets@epicenw			
U.S. State where Samples Collected: NJ				Number of Samples In Shipment: 63		Purchase Order: 24-23416	
				Date of Shipment: 4/17/2025			

Sample for Compliance? Yes ☒ No ☐ If yes, NPDES? ☐ Other (Specify): _____				Sampled By (Signature): Casey Lyons				Samples Received Chilled (Y/N)			
Samples Collected by: EMSL ☐ Client ☒ check one				The following TATs are subject to lab approval: ☐ 4 Week ☐ 4 Days ☐ 3 Days ☐ 2 Days ☐ 1 Day							
Standard Turnaround Time: ☒ 2 Weeks								List Tests/ Needed			
Failure to complete will hinder processing of samples		Matrix	Preservative	EPA	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O=Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other						
DHS -FB	☐	☒	4/5/25 NA	W	2	X				Field Blank	
02-WC-HALT	☐	☒	0604	W		X					
02-BF-HALT	☐	☒	0605	W		X					
02-SO-NURD2	☐	☒	0607	W		X				FLUSH	
↓ (Flush)	☐	☒	↓ 0608	W							

Released By (Signature)		Date & Time		Received By		Date & Time	
Casey Lyons		4/17/2025		Casey Lyons		4/17/25 13:40 PM	

Please indicate reporting requirements: ☒ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Disk Deliverable ☐ Other _____

Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.

Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 400ppb

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS & SERVICES
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS & SERVICES

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):

AD16184

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments
						EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
PHS 6												
01-WC-HALL 2	☐	☐	4/5/25 0610	W	2							
01-BF-HALL 2	☐	☐	0610	W								
02-WC-HALL 3	☐	☐	0612	W								
02-BF-HALL 3	☐	☒	0612	W								
03-WC-HALL 4	☐	☒	0614	W								
03-BF-HALL 4	☐	☒	0614	W								
01-WC-HALL 5	☒	☒		W								
01-WC-HALL 5	☐	☒	0616	W								
01-BF-HALL 5	☐	☒	0616	W								
01-ICE-TRAIN	☐	☒	0618	W								
02-WC-HALL 6	☐	☒	0620	W								
02-BF-HALL 6	☐	☒	0620	W								
03-WC-HALL 7	☐	☒	0622	W								
03-BF-HALL 7	☐	☒	0622	W								
01-WC-HALL 8	☐	☒	0624	W								
01-BF-HALL 8	☐	☒	0624	W								
03-WC-HALL 9	☐	☒	0626	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS DIVISION
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS DIVISION

Environmental Chemistry Chain of Custody EMSL Order Number (Lab Use Only):

AD16184

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments	
	Comp	Grab				EPA	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time			
12 03-BF-HALL9	☐	☐	4/5/250626	W	2	200.							
13 02-WC-CAF4	☐	☐	0629	W									
14 02-BF-CAFE	☐	☐	0629	W									
15 01-WC-B0Y10CK	☐	☐	0631	W									
16 01-BF-80Y10CK	☐	☐	0631	W									
17 02-KF-KIT	☐	☐	0633	W									Flush
18 02-KF-KIT	☐	☐	0634	W									Flush
19 02-SO-KIT	☐	☐	0635	W									Flush
20 02-SO-KIT	☐	☐	0636	W									Ice Machine
21 02-ICE-KIT	☐	☐	0638	W									
22 01-WC-HALL10	☐	☐	0640	W									
23 01-BF-HALL10	☐	☐	0642	W									
24 02-BF-HALL11	☐	☐	0642	W									
25 02-WC-HALL11	☐	☐	0642	W									
26 02-SO-HOEC1	☐	☐	0645	W									Flush
27 02-SO-HOEC1	☐	☐	0646	W									
28 02-SO-HOEC2	☐	☐	0647	W									

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCT TESTING
EMSL ANALYTICAL, INC.
LABORATORY • PRODUCT TESTING

**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

AD16184

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments
	Comp	Grab				EPA	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
PHS34 02-80-HOEC2 (Flush)	☐	☐	4/5/25 0648	W	2							Flush
40 02-80-HOEC3	☐	☐	0649	W								Flush
41 ↓ (Flush)	☐	☐	0650	W								Flush
42 02-80-HOEC4	☐	☐	0651	W								Flush
43 ↓ (Flush)	☐	☐	0652	W								Flush
44 02-80-HOEC5	☐	☐	0653	W								Flush
45 ↓ (Flush)	☐	☐	0654	W								Flush
46 02-80-HOEC6	☐	☐	0655	W								Flush
47 ↓ (Flush)	☐	☐	0656	W								Flush
48 02-80-HOEC7	☐	☐	0657	W								Flush
49 ↓ (Flush)	☐	☐	0658	W								Flush
50 02-80-FAC	☐	☐	0659	W								Flush
51 ↓ (Flush)	☐	☐	0700	W								Flush
52 01-WC-HALL12	☐	☐	0702	W								
53 01-BF-HALL12	☐	☐	0702	W								
54 02-WC-HALL13	☐	☐	0704	W								
55 02-BF-HALL13	☐	☐	0704	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry Chain of Custody EMSL Order Number (Lab Use Only):

AD6161

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments	
	Comp	Grab				EPA	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time			
56 PHS-03-WC-HALL 14	☐	☐	4/5/25 0706	W	2								
57 03-BF-HALL 14	☐	☐	0706	W									
58 01-SO-LIB	☐	☐	0709	W									Flush
59 01-SO-LIB	☐	☐	0710	W									
60 01-SO-LIB	☐	☐	0711	W									
61 01-WC-LIB	☐	☐	0712	W									
62 01-BF-LIB	☐	☐	0720	W									
63 01-SO-LIB	☐	☐	0721	W									Flush
64 01-SO-LIB	☐	☐		W									
65 01-SO-LIB	☐	☐		W									
66 01-SO-LIB	☐	☐		W									
67 01-SO-LIB	☐	☐		W									
68 01-SO-LIB	☐	☐		W									
69 01-SO-LIB	☐	☐		W									
70 01-SO-LIB	☐	☐		W									
71 01-SO-LIB	☐	☐		W									
72 01-SO-LIB	☐	☐		W									
73 01-SO-LIB	☐	☐		W									
74 01-SO-LIB	☐	☐		W									
75 01-SO-LIB	☐	☐		W									
76 01-SO-LIB	☐	☐		W									
77 01-SO-LIB	☐	☐		W									
78 01-SO-LIB	☐	☐		W									
79 01-SO-LIB	☐	☐		W									
80 01-SO-LIB	☐	☐		W									
81 01-SO-LIB	☐	☐		W									
82 01-SO-LIB	☐	☐		W									
83 01-SO-LIB	☐	☐		W									
84 01-SO-LIB	☐	☐		W									
85 01-SO-LIB	☐	☐		W									
86 01-SO-LIB	☐	☐		W									
87 01-SO-LIB	☐	☐		W									
88 01-SO-LIB	☐	☐		W									
89 01-SO-LIB	☐	☐		W									
90 01-SO-LIB	☐	☐		W									
91 01-SO-LIB	☐	☐		W									
92 01-SO-LIB	☐	☐		W									
93 01-SO-LIB	☐	☐		W									
94 01-SO-LIB	☐	☐		W									
95 01-SO-LIB	☐	☐		W									
96 01-SO-LIB	☐	☐		W									
97 01-SO-LIB	☐	☐		W									
98 01-SO-LIB	☐	☐		W									
99 01-SO-LIB	☐	☐		W									
100 01-SO-LIB	☐	☐		W									

(Lab) Received Temperature: _____ °C