

**SECTION 00 9115  
ADDENDUM NO. 3**

**1.01    PROJECT INFORMATION**

- A. Project:  
Sumter County Primary School  
Re-Roofing
- B. Owner:  
Sumter County Board of Education  
100 Learning Way  
Americus, Georgia 37719
- C. Architect:  
James W. Buckley & Associates, Inc.  
P0 Box 466, 423 Pine Avenue Suite 200  
Albany, Georgia, 31702  
Phone (229)-883-4698, Fax (229)-883-0936
- D. Date of Addenda: March 19, 2025
- E. Bid Date: April 3, 2025 at 3:00 PM

**PART 1 - NOTICE TO BIDDERS**

- 1.02    This Addendum is issued to all registered plan holders pursuant to the Instructions to Bidders and Conditions of the Contract. This Addendum serves to clarify, revise, and supersede information in the Project Manual, Drawings, and previously issued Addenda. Portions of the Addendum affecting the Contract Documents will be incorporated into the Contract by enumeration of the Addendum in the Owner/Contractor Agreement.
- 1.03    The Bidder shall acknowledge receipt of this Addendum in the appropriate space on the Bid Form. Failure to acknowledge receipt of addenda may subject the bidder's bid to be being rejected.
- 1.04    The date and time for receipt of bids is unchanged by this Addendum.

**PART 2 - REVISIONS TO PROJECT MANUAL**

- 2.01    No Changes

**PART 4 - REVISIONS TO THE DRAWINGS**

**4.01    NOTICE TO BIDDERS:**

- A. "Clouds" are provided on drawings for the convenience of the Contractor only! "Clouds" are without force and effect on the contract documents.
  - 1.    All changes show and/or noted on revised drawings and sketches shall be incorporated into the scope of the work whether 'clouded' or not.

4.02 ARCHITECTURAL DRAWINGS:

A. Sheet A1.2

1. New Ceiling Keyed Notes: Add the following to Keyed Noted B2, Electrical Systems:

- a. At Lights: Provide and install new lights as follows:
  - 1) Type: 2x4 Recessed Mounted Type Back-lit Flat Panel with Single Piece Injection Frame and Smooth White Lens.
  - 2) Lamps: LED, 5000 Lumens, 36 Watts, 4000 Degree
  - 3) Driver: Unv. Volt Driver
  - 4) Manufacturers:
    - a) Lithonia "Cpx" Series,
    - b) Metalux, Columbia,
    - c) H.E. Williams, Cree
- b. At Speakers: Speakers shall be replaced with new speakers of color, type and appearance similar to, and compatible with, the existing system.

**END OF ADDENDUM NO. 3**