# RIVERVIEW GARDENS SCHOOL DISTRICT

March 19, 2024

Joylynn Pruitt-Adams, Ed.D., Superintendent

1370 Northumberland Drive St. Louis, MO 63137 Office 314.869.2505 x 20102 Fax 314.388.6003 www.rgsd.k12.mo.us

#### MISSION

Collaboratively educate and empower our scholars to thrive in challenging environments

#### VISION

RGSD will be a district where:

- There are high expectations for all.
- There will be healthy, loving, empathetic and kind relationships.
- Students are at the center of our decisions.
- Supports are provided so students become grade-level ready.
- There is transparency, accountability, timely, clear communication, and high levels of customer service.
- All stakeholders have a voice.
- There is a focus on college and career readiness.

#### Special Administrative Board

Veronica Morrow-Reel President, Master C.B.M.

Niketia Coleman, Ed.D. Vice-President, C.B.M.

Wanda Lane, Treasurer, C.B.M.

*Tommie Harsley, III, Director,* C.B.M.

*Miranda Avant-Elliott, Ed.D., Director, C.B.M.* 

Jacqueline Jackson, Director, C.B.M.

Sharon Titsworth, Director, C.B.M

Secretary Sha S. Fields, Coordinator of Board Governance/Custodian of Records Dear Moline Elementary School parents and staff,

On February 2, 2024, I shared information regarding the <u>Get the Lead Out of School</u> <u>Drinking Water Act</u> and its requirements for school districts.

The Environmental Protection Agency (EPA) currently has a lead drinking water standard limit of 15 micrograms per liter (ug/L) of lead in water. However, Missouri law requires that all Missouri schools achieve a 5 ug/L limit of lead in water.

During February 2024, all RGSD schools and buildings were tested for lead concentration in school drinking water outlets.

We are pleased to report that at Moline Elementary School, all drinking water outlets were found to be in compliance and met the 5 ug/L Missouri standard limit of lead in water. Therefore, there is no additional action required at this time.

If you have questions about lead sample testing results, or if you have concerns, please email karl.scheidt@rgsd.k12.mo.us.

To view reports for all schools/buildings throughout Riverview Gardens School District, please visit https://www.rgsdmo.org/facilities/gettheleadout.

Sincerely,

hint al

Joylynn Pruitt-Adams, Ed.D. Superintendent

# **REPORT OF DRINKING WATER SAMPLING FOR LEAD CONTENT AT:**

MOLINE ELEMENTARY SCHOOL 9865 WINKLER DR. ST. LOUIS, MISSOURI 63137



**PREPARED FOR:** 

# MR. KARL SCHEIDT DIRECTOR OF FACILITIES AND FOOD SERVICES RIVERVIEW GARDEN SCHOOL DISTRICT 10101 LEWIS AND CLARK BLVD ST. LOUIS, MISSOURI 63136

PREPARED BY:

J.S. HELD, LLC #6 MEADOW HEIGHTS PROFESSIONAL PARK COLLINSVILLE, ILLINOIS 62234 (618) 343-3590

**MARCH 2024** 

# **TABLE OF CONTENTS**

231100311-03 Drinking Water Sampling for Lead Riverview Garden School District Moline Elementary School 9865 Winkler Dr. St. Louis, Missouri 63136

# EXECUTIVE SUMMARY

APPENDIX A Sample Locations/Results
APPENDIX B Laboratory Analysis
APPENDIX C Credentials

# **EXECUTIVE SUMMARY**

On the morning of February 21<sup>st</sup>, 2024, J.S. Held performed lead testing of multiple water sources at Moline Elementary School, 9865 Winkler Dr. St. Louis, Missouri 63136. The sampling was performed by trained and licensed personnel in accordance with USEPA, HUD and State of Missouri Regulations and Guidelines. Work was performed in accordance with the newly amended Missouri Senate Bill 681.

All inspectors involved with sampling activities had EPA approved training in lead. Certifications for our firm and the inspector collecting the samples are included as Appendix C to this document.

All samples were collected on a "first draw" and "second draw" basis. "First draw" is achieved by allowing the water system to rest for at least eight hours prior to sampling in order to collect any existing debris or settlement within the sample. The intent of this sampling is to replicate "worst case scenario" conditions. JSH proposes to collect a second sample from each source as a "follow-up sample" per the Missouri Senate Bill 681 requirements. As such, J.S. Held inspectors met at the school at 5:00 a.m. to collect water samples before the systems were used by staff or students. The State of Missouri and other regulatory agencies recommend that water sources run for at least thirty seconds and as long as two minutes prior to use to avoid settling within the water system.

Drinking water samples were collected from Twenty-Six (26) different locations throughout Moline Elementary School, two of which were inactive during the sampling event. The water samples were collected from drinking fountains and sinks potentially utilized for cooking or drinking activities at the campus. After sample collection, samples were immediately iced down and delivered to Teklab, Inc. located in Collinsville, Illinois following strict chain of custody procedures. Teklab is a NELAP accredited and State of Illinois licensed laboratory specializing in drinking water analysis. Detailed sampling locations and sample results are located in Appendix A of this report.

The analytical sensitivity utilized for the analysis of the water samples submitted identified a reporting limit (RL) of 1.0 micrograms per liter ( $\mu$ g/L). The analytical sensitivity utilized for the analysis of the water samples submitted identified a reporting limit (RL) of 1.0 microgram of lead per liter ( $\mu$ g/L). This reporting value equates to 1.0 parts per billion (ppb) of lead. The USEPA action level for lead in drinking water is 15.0 ppb for PSW. The USEPA document titled "Lead in Drinking Water at Schools and Childcare Facilities" last updated November 9, 2015 identifies an action level for drinking water collected from a plumbing fixture as 20.0 ppb. Twenty-Six (26) samples collected from the selected locations at the Moline Elementary school, reported sample results which were less than the action level. This information can be found under the National Primary Drinking Water Regulations provided by

the EPA, CFR 2010 Title 40. (See Appendix A and B for Sample Results) The Missouri Senate Bill 1075 require potable plumbing fixtures to be less than 5.0 ppb, the levels area above 5 ppb, then action shall be necessary to filter the water from the fixture or clean/repair/replace the fixture and retest until the levels are reported below 5 ppb. (See Appendix A and B for Sample Results)

# **Conclusion/Recommendations**

At this time all water sources testing at 5 ppb or above should be removed from service until filtration can be added or these sources are repaired/replaced and retested reporting under 5 ppb. These sources are subject to additional maintenance activities and response actions prior to use. Before being put back in service. In addition, all sources will be subject to an ongoing maintenance program and re-testing at appropriate intervals.

Remediation includes decreasing lead concentrations below 5 parts per billion using such methods such as replacement of plumbing, solder, fittings, or fixtures, installations of filters and filter devices, or other effective methods in accordance with the new Missouri SB681 *Get the Lead Out Of Schools Drinking Water Act* 

The district will be required to provide notification to parents and staff within 7 days of receiving these sample results and results shall be posted on the district website within 2 weeks. Any samples reported over 5 ppb should be re-sampled on an annual basis at a minimum.

J.S. Held recommends that all water sources be run for at least thirty seconds prior to use as recommended by USEPA.

# <u>APPENDIX A</u> SAMPLE LOCATIONS & RESULTS



Prep Day:	2/20/24

Sample Day: 2/21/24

To Lab ----> 2/21/24

\* Reporting Limit

 # to Test =
 26

 # Disabled =
 2

 # of Samples =
 49

 # > 10.0 ppb =
 0

 # > 5.0 ppb =
 0

Source	Sample ID #	Sample Type	Sample Location	Source Notes	RL *	Lead Test Result
01	(A)	S	3 Bay Left		1.0	<1.0
	(B)				1.0	<1.0
	(C)				1.0	<1.0
02	(A)	S	3 Bay Right		1.0	<1.0
	(B)				1.0	<1.0
03	(A)	S	hand sink		1.0	<1.0
	(B)				1.0	<1.0
04	(A)	S	Dishwashing sink		1.0	<1.0
	(B)				1.0	<1.0
05	(A)	S	Center sink		1.0	<1.0
	(B)				1.0	<1.0
06	(A)	S	Pot Filler		1.0	<1.0
	(B)				1.0	<1.0
07	(A)	F	Outside Kitchen		1.0	2.9
	(B)				1.0	<1.0
08	(A)	F	Inside Gym	Inactive	1.0	
	(B)				1.0	
09	(A)	F	Outside Cafeteria Left		1.0	<1.0
	(B)				1.0	<1.0
10	(A)	F	Outside Cafeteria right		1.0	<1.0
	(B)				1.0	<1.0
11	(A)	F	Outside Room 36 Left		1.0	<1.0
	(B)				1.0	<1.0

Source	Sample ID #	Sample Type	Sample Location	Source Notes	RL *	Lead Test Result
12	(A)	F	Outside Room 36 right		1.0	<1.0
	(B)				1.0	<1.0
13	(A)	F	Outside room 5 Low		1.0	<1.0
	(B)				1.0	<1.0
14	(A)	S	Room 5 left		-	2.7
	(B)				-	<1.0
15	(A)	F	Room 5 right	Remove d	1.0	
	(B)				1.0	
16	(A)	S	Room 4 Left		1.0	3.1
	(B)				1.0	<1.0
17	(A)	F	Room 4 right		1.0	<1.0
	(B)				1.0	<1.0
18	(A)	S	Room 3 left		1.0	<1.0
	(B)				1.0	<1.0
19	(A)	F	Room 3 right		1.0	<1.0
	(B)				1.0	<1.0
20	(A)	S	Room 2 left		1.0	<1.0
	(B)				1.0	<1.0
21	(A)	F	Room 2 right		1.0	<1.0
	(B)				1.0	<1.0
22	(A)	F	Outside office left		1.0	<1.0
	(B)				1.0	<1.0
23	(A)	F	Outside office right		1.0	<1.0
	(B)				1.0	<1.0
24	(A)	S	Room 21		1.0	<1.0
	(B)				1.0	<1.0
25	(A)	S	Nurses Office		1.0	<1.0
	(B)				1.0	<1.0

26	(A)	F	Outside Room 5 High W. Bottle Filler	1.0	0 <1.0
	(B)			1.0	0 <1.0
	(A)	S		1.0	0
	(B)			1.	D

F = Fountain

S = Sink

(A) = 1st Sample

(B) = 2nd Sample (30 Seconds Later)

(C) = 3rd Sample (3 Minutes Later)

# <u>APPENDIX B</u> LABORATORY ANALYSIS



March 13, 2024

Devon Rathbun J.S. Held #6 Meadow Heights Professional Park Collinsville, IL 62234 TEL: (417) 300-1905 FAX: (618) 343-3597



http://www.teklabinc.com/

RE: Riverview Gardens School District - Moline ES

WorkOrder: 24021480

Dear Devon Rathbun:

TEKLAB, INC received 49 samples on 2/21/2024 8:10:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Marin J. Darling I

Marvin L. Darling Project Manager (618)344-1004 ex 41 mdarling@teklabinc.com



# **Report Contents**

http://www.teklabinc.com/

#### Client: J.S. Held

Client Project: Riverview Gardens School District - Moline ES

Work Order: 24021480 Report Date: 13-Mar-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	9
Chain of Custody	Appended



**Definitions** 

http://www.teklabinc.com/

#### Client: J.S. Held

Client Project: Riverview Gardens School District - Moline ES

#### Work Order: 24021480

Report Date: 13-Mar-24

#### **Abbr Definition**

- \* Analytes on report marked with an asterisk are not NELAP accredited
- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
- DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
- DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- NC Data is not acceptable for compliance purposes
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
  - PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
  - RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
  - RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
  - SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
  - Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
  - TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count ( > 200 CFU )



# **Definitions**

#### http://www.teklabinc.com/

Work Order: 24021480

Client: J.S. Held

# Client Project: Riverview Gardens School District - Moline ES

- # Unknown hydrocarbon
- C RL shown is a Client Requested Quantitation Limit
- H Holding times exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
  - S Spike Recovery outside recovery limits
  - X Value exceeds Maximum Contaminant Level

Report Date: 13-Mar-24

# Qualifiers

- B Analyte detected in associated Method Blank
- E Value above quantitation range
- I Associated internal standard was outside method criteria
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- T TIC(Tentatively identified compound)



http://www.teklabinc.com/

Work Order: 24021480 Report Date: 13-Mar-24

Client: J.S. Held Client Project: Riverview Gardens School District - Moline ES

# Cooler Receipt Temp: N/A °C

			Locations			
Collinsville			Springfield	Kansas City		
Address	5445 Horseshoe Lake Road	Address	3920 Pintail Dr	Address	8421 Nieman Road	
	Collinsville, IL 62234-7425		Springfield, IL 62711-9415		Lenexa, KS 66214	
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998	
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998	
Email	jhriley@teklabinc.com	Email	KKlostermann@teklabinc.com	Email	jhriley@teklabinc.com	
	Collinsville Air		Chicago			
Address	5445 Horseshoe Lake Road	Address	1319 Butterfield Rd.			
	Collinsville, IL 62234-7425		Downers Grove, IL 60515			
Phone	(618) 344-1004	Phone	(630) 324-6855			
Fax	(618) 344-1005	Fax				
Email	EHurley@teklabinc.com	Email	arenner@teklabinc.com			



# Accreditations

# http://www.teklabinc.com/

### Client: J.S. Held

# Client Project: Riverview Gardens School District - Moline ES

Work Order: 24021480

Report Date: 13-Mar-24

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2025	Collinsville
Missouri	MDNR	00930		10/31/2026	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



# http://www.teklabinc.com/

Work Order: 24021480

Report Date: 13-Mar-24

Client: J.S. Held

Client Project: Riverview Gardens School District - Moline ES

Matrix:	DRINKING	WATER
---------	----------	-------

Sample ID	Client Sample ID	Certification Qual	RL	Result	Units	DF	Date Analyzed	Date Collected	
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
24021480-001	A 01A	NELAP	1.0	< 1.0	µg/L	5	03/13/2024 5:21	02/21/2024 6:00	
24021480-002	A 01B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 19:46	02/21/2024 6:00	
24021480-003	A 01C	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 19:50	02/21/2024 6:00	
24021480-004	A 02A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 19:55	02/21/2024 6:00	
24021480-005	A 02B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 19:59	02/21/2024 6:00	
24021480-006	A 03A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 11:58	02/21/2024 6:00	
24021480-007	A 03B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:03	02/21/2024 6:00	
24021480-008	A 04A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:34	02/21/2024 6:00	
24021480-009	A 04B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:38	02/21/2024 6:00	
24021480-010	A 05A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:42	02/21/2024 6:00	
24021480-011	A 05B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:46	02/21/2024 6:00	
24021480-012	A 06A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:51	02/21/2024 6:00	
24021480-013	A 06B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 20:55	02/21/2024 6:00	
24021480-014	A 07A	NELAP	1.0	2.9	µg/L	5	03/13/2024 5:58	02/21/2024 6:00	
24021480-015	A 07B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:34	02/21/2024 6:00	
24021480-016	A 09A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:38	02/21/2024 6:00	
24021480-017	A 09B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:55	02/21/2024 6:00	
24021480-018	A 10A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:42	02/21/2024 6:00	
24021480-019	A 10B	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:47	02/21/2024 6:00	
24021480-020	A 11A	NELAP	1.0	< 1.0	µg/L	1	03/08/2024 21:51	02/21/2024 6:00	
24021480-021	A 11B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:23	02/21/2024 6:00	
24021480-022	A 12A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:27	02/21/2024 6:00	
24021480-023	A 12B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:31	02/21/2024 6:00	
24021480-024	A 13A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:35	02/21/2024 6:00	
24021480-025	A 13B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:51	02/21/2024 6:00	
24021480-026	A 14A	NELAP	1.0	2.7	µg/L	1	03/11/2024 12:39	02/21/2024 6:00	
24021480-027	A 14B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:43	02/21/2024 6:00	
24021480-028	A 16A	NELAP	1.0	3.1	µg/L	5	03/13/2024 6:02	02/21/2024 6:00	
24021480-029	A 16B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 12:47	02/21/2024 6:00	
24021480-030	A 17A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:16	02/21/2024 6:00	
24021480-031	A 17B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:20	02/21/2024 6:00	
24021480-032	A 18A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:24	02/21/2024 6:00	
24021480-033	A 18B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:28	02/21/2024 6:00	
24021480-034	A 19A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:32	02/21/2024 6:00	
24021480-035	A 19B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:36	02/21/2024 6:00	
24021480-036	A 20A	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:45	02/21/2024 6:00	
24021480-037	A 20B	NELAP	1.0	< 1.0	µg/L	1	03/11/2024 13:40	02/21/2024 6:00	
24021480-038	A 21A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:13	02/21/2024 6:00	
24021480-039	A 21B	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:18	02/21/2024 6:00	
24021480-040	A 22A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:22	02/21/2024 6:00	
24021480-041	A 22B	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:26	02/21/2024 6:00	
24021480-042	A 23A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:31	02/21/2024 6:00	
24021480-043	A 23B	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:35	02/21/2024 6:00	
24021480-044	A 24A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:44	02/21/2024 6:00	
24021480-045	A 24B	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 0:39	02/21/2024 6:00	
24021480-046	A 25A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 1:40	02/21/2024 6:00	
24021480-047	A 25B	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 1:44	02/21/2024 6:00	
24021480-048	A 26A	NELAP	1.0	< 1.0	µg/L	1	03/09/2024 1:48	02/21/2024 6:00	
								Dage 7 of 9	



# Laboratory Results

	Environmental Labora	atory		v			<u>http://www</u>	.teklabinc.com/
Client: J.S. Held							Work Order: 2	4021480
Client Project: Riverview Gardens School District - Moline ES Report Date: 13-Mar-24 Matrix: DRINKING WATER								
1,160,11								
	Client Sample ID	Certification Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
Sample ID	Client Sample ID			Result	Units	DF	Date Analyzed	Date Collected



# **Receiving Check List**

### http://www.teklabinc.com/

Client: J.S. Held

Client Project: Riverview Gardens School District - Moline ES

Work Order: 24021480 Report Date: 13-Mar-24

Carrier: Devon Rathbun	Recei	ved By: EES		
Completed by: On: 21-Feb-24 Amber Dilallo		iewed by: n: eb-24 I	Ellee Hopkins	lens
Pages to follow: Chain of custody 5	Extra pages included	1 0		
Shipping container/cooler in good condition?	Yes 🗸	No	Not Present	Temp °C N/A
Type of thermal preservation?	None 🗸	Ice	Blue Ice	Dry Ice
Chain of custody present?	Yes 🖌	No 🗌		
Chain of custody signed when relinquished and received?	Yes 🗹	No 🗌		
Chain of custody agrees with sample labels?	Yes 🗹	No 🗌		
Samples in proper container/bottle?	Yes 🗹	No 🗌		
Sample containers intact?	Yes 🗹	No 🗌		
Sufficient sample volume for indicated test?	Yes 🗹	No 🗌		
All samples received within holding time?	Yes 🖌	No 🗌		
Reported field parameters measured:	Field	Lab	NA 🔽	
Container/Temp Blank temperature in compliance?	Yes 🖌	No 🗌		
When thermal preservation is required, samples are complia 0.1°C - 6.0°C, or when samples are received on ice the sam		between		
Water – at least one vial per sample has zero headspace?	Yes	No	No VOA vials 🗸	
Water - TOX containers have zero headspace?	Yes	No	No TOX containers	]
Water - pH acceptable upon receipt?	Yes 🗹	No	NA	]
NPDES/CWA TCN interferences checked/treated in the field?	Yes	No 🗌	NA 🗸	•
Any No responses	must be detailed belo	ow or on the	COC.	

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

Pg \_\_ of <u>5</u> Workorder # <u>24021480</u>

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

1																				_	Conversion of the	
Client: J.S. Held	······				Samples on: ICE I BLUE ICE I NO ICE																	
Address: 6 Meadow	Heights Professional Park	<u>(</u>			Pre	eser	ved	in:		ŹЦ	₽B			.D		FO	RLA	BUS	E ON	ILY		
City/State/Zip: Collin	sville, IL 62234				LA	BN	ΟΤΕ	S:														
Contact: Devon Rath	bun	Phone: 417	7-300-1905	5		<b>.</b>						~~~~										
Email: devon.rathb	un@jsheld.com	Fax:			CII	ent	Co	mm	ent	s:												
Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No Are these samples known to be hazardous? Yes No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: Yes No PROJECT NAME/NUMBER Biveryiew Cardens School District						Moline ES # and Type of Containers INDICATE ANALYSIS REQUESTED														)		
Riverview Gardens School District Percen Ratalin									I					T								
Standard	SULTS REQUESTED	Surcharge)		IG INSTRUCTIONS	dND	HNO3	NaOH	H2SO4	HCL	MeOH	TSP	Other	Lead									ولايا والمحافظة والم
Lab Use Only	Sample ID	Date/Time		Matrix																		
2402148000	DIA	2/21/24	6:00 AM	Aqueous									M					Π	Ţ	Π		
-002	DIB			Aqueous									~		Π			$\square$		Π	T	
<u> </u>	OIC			Aqueous									~		Π	Τ		Π	Τ		Τ	
124	DJA			Aqueous							1		~		Π	Τ			7		Т	1
375	02B			Aqueous									~	רק	Π	Γ				Π	Т	
$\infty u$	03 A			Aqueous									1	Ť	Π	T	1			Π	T	-
<u></u>	03B			Aqueous					Ì				~	1	İΤ	T		<b>T</b>			Ť	-
300	04 A			Aqueous									~		ΓŤ	$\top$			1		1	
Q39	04 B			Aqueous									~	1	亡	Ť			1	$\square$	-	1-
00	OSA			Aqueous				Ĩ	ĺ					$\uparrow$	Ħ	十	竹	ኵ		$\square$	-	
011	OSB		v	Aqueous				T					~		Π	Т		Π			Т	
Relinquished By D				Date/Time	Γ	Received By										Date	Tim		20000000000000000000000000000000000000			
Devon Ro	24 8:10 AM		5	n	lif		40	A	t	1				2	21	24		81	0			
				· · · · · · · · · · · · · · · · · · ·																		
		·····						······									_		<del></del>			
																	<u> </u>					
1					1												1					

Ut 2/21/24



Pg 2 of 5 Workorder # 24021480

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: J.S. Held								n:	]		CE	Г	T E	LUE	ICF	Ŕ	1 NC		=		6. 2010 Q	°C		
	Heights Professional Park				Preserved in:																			
City/State/Zip: Collins				**************************************	1		DTES		Ĺ			F					<u>. on</u>	<u></u>	.00		<u>i L. 1</u>			
Contact: Devon Rathl		Phone: 417	7-300-1905	5	<b></b> ~	2140		5.																
	un@jsheld.com	Fax:			CI	anf	Con		on	ter								-				in al construction		*******
	to be involved in litigation? If y				-	CIR	CON	1111	1011	13.														İ
Are these samples known				Yes 🖌 No																				
Are there any required reporting limits to be met on the requested analysis				ease provide	Moline Es																			
limits in the comment sect PROJECT NAME/NU	LLECTOR'	C MASSIT		# and Type of Containers INDICATE ANALYSIS REQUESTED																				
Riverview Gardens Sc		-			ant	2 1 5 1	pe 			itan			EN	ع با الد. ا			11 ¥ C		REG	T		<u>, U</u>	_	
		n Ron		~						_														
			BILLIN	IG INSTRUCTIONS	L	Ţ	Na	H2	Ŧ	Me	NaH	<u>ب</u> اي												
Standard	1-2 Day (100% S				dND	õ	2	So a	입	Ŝ	S	TSP	Lead								i			
Other	3 Day (50% Surcl				Lead Other TSP NaHSO4 HCL H2SO4 H2SO4 H2SO4																			
Lab Use Only	Sample ID	Date/Time									-			12 - TANE					-			-		
24021450012	06A	2121/24	6 :00 AM	Aqueous	<b>_</b>						ļ.		V				Ļ				Ļ			
013	068	<u> </u>		Aqueous				_					6			1					Ì	$\square$		
DIL	07A			Aqueous				_					1		<u> </u>	<u> </u>					<u> </u>			
015	<u>078</u>	ļ		Aqueous				_					1											
DILO	091			Aqueous		]							~											
	09B			Aqueous									V											
310	LO A			Aqueous									V	T	ſ	T	Π		Τ	Т	Γ	$\square$		
019	<u>10 B</u>			Aqueous									~				$\Box$							
020	<u> </u>			Aqueous									~				$\Box$							
021	118			Aqueous									1		Ţ		П	$\square$					$\Box$	
012	12A		Y	Aqueous									1											
Relinquished By				Date/Time	<u> </u>	~		-	<u>–</u>	Re	ecei	ved	By							Date				
Deron Ra	Habin	212112	4 81.10 AM		$\underline{\Delta}$	m	lq	;h	A	de	hð	Q.					2[	21	124	<u>i</u>	810	<u> </u>		
																		<u></u>						
						, <b></b> .,											-+		<u> </u>					
	·····		······································							<u>-</u>				,				• • • • • •		<u></u>				

Pg 3 of 5 Workorder #	24021480
-----------------------	----------


TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: J.S. Held					Samp	les on	:	Π	IĈE		Π	BLU	E IC	E	<u></u> У И	10 IC	:Е _			°C	
Address: 6 Meadow I	Heights Professional Park				Prese	rved i	n:		LAB		<u> </u>	FELI		,			<u>B US</u>				
City/State/Zip: Collins	ville, IL 62234				LAB N	OTES	:														
Contact: Devon Rathb	bun	Phone: 417	7-300-1905																		
Email: devon.rathbu	in@jsheld.com	Fax:			Clien	t Con	me	nts:													
Are these samples known to be hazardous? Yes Ves No Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes V No						No Moline ES # and Type of Containers   INDICATE ANALYSIS REQUESTED															
PROJECT NAME/NU Riverview Gardens Sci	~		# and Type of Containers INDICATE ANALYSIS REQUESTED																		
		Rath	bin																		
RES	ULTS REQUESTED		BILLIN	IG INSTRUCTIONS	cI	NaOH	5 =	s	Nat		0	_						1			
Standard	🔲 1-2 Day (100% S	urcharge)			UNP			2   ů	S	Sb   i	Ofher	P2d									
Other	3 Day (50% Surcl	narge)					•		Ă	ŀ											
Lab Use Only	Sample ID	Date/Time	Sampled	Matrix								<u> </u>									
2404480-023	123	2121/24	6100 AM	Aqueous					Ļ			1									
024	<u>13A</u>			Aqueous					<u>                                     </u>			1									
210	13 <u>B</u>			Aqueous							1	1									
<u>منده</u>	<u>14</u> A			Aqueous							l										
027	14B			Aqueous																	
028	16 A			Aqueous								/	Τ	Π	Т		Π		Т	$\square$	
029	l6B			Aqueous								1	T	Π	Î	T		T	Τ	Π	
030	17A			Aqueous								1					ΠŤ	Τ	T	Π	_
031	17B			Aqueous								7	Î	ÎŤ	T		П	T	Т		
032	18A			Aqueous								1	Ĵ		Ì	Ì	Ш		Ť		
033	18B		e	Aqueous							•	1									
Relinquished By				Date/Time						ived		desidence in the							e/Tir		
Devon Rath	sun		2/21/2	4 8:10 AM		m	lif.	/	Ja	J <u>v</u>	t	£				2	<u>put</u>	<u> 115</u>		81	<u>.</u> O
			] 				0														
			 													+					<del></del>
				-											+						

Pg 4 of 5 Workorder # 24021480

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: J.S. Held				San	nples	on:			2020-000 2		BLUE I	CE	X N	O IC	Ε		• •	С		
Address: 6 Meadow I	leights Professional Park				Pres	serve	ed in:			в		FELD		FOF	<u>≀LA</u> E	<u>3 US</u>	E ON	<u>ILY</u>		
City/State/Zip: Collins	ville, IL 62234				LAE	S NO	TES:													
Contact: Devon Rathb	oun	Phone: 417	-300-1908	5																
Email: devon.rathbu	in@jsheld.com	Fax:			Clie	ent C	omn	nen	ts:											
Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes V No Are these samples known to be hazardous? Yes V No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: Yes V No PROJECT NAME/NUMBER SAME						MOUNC ES # and Type of Containers INDICATE ANALYSIS REQUESTED														
PROJECT NAME/NU Riverview Gardens Sci			#	and	Туре	e of	Conta	liner	S	IND	ICAT	E AN	ALY	SIS	REQ	UES	TEC	)		
Riverview Gardens Sci	sun																			
RES		IG INSTRUCTIONS	UNP	HNO3	E	-	Ma		0											
Standard	Standard 1-2 Day (100% Surcharge)							ICL	MeOH	TSP	Other	ead								
Lah Use Only	Sample ID	Date/Time S	Sampled	Matrix																
2402480 034	19 A	2/2/2	ાપ	Aqueous							ĺ	2			Π			Π	Т	
035-	19B		1.00 AM	Aqueous							Í	/		1	$\square$				Т	
036	20A			Aqueous								<u> </u>								-
୍ୟୁ	20B			Aqueous								/								
038	21/4			Aqueous								¥								
039	213			Aqueous								/							Т	
040	22A			Aqueous								/			ĨĨ			Π	Т	
041	228			Aqueous								<b>/</b>			Π		Τ	Π		
OUL	23 A			Aqueous								/								
043	2313			Aqueous											П			$\Box$		
044	Aqueous Aqueous															L	207			
Relinquished By			0	Date/Time	_	<u> </u>		(	and the second second	eive		у					Date			
Deron Rath	2/21/	24 8:10 AM		Q	w	<u>.</u>	Ha	U	λĮ					21	24		<u>81(</u>	}		
	<b></b>															<u> </u>	<u></u>			
			···· · · ·		†							<u></u>			<u> </u>					
														<u> </u>						



TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: J.S. Held					Sam	les or	י:		ICE	Γ	BLUE	ICE		10 IC	E_		_ °c	
Address: <u>6 Meadow</u>	Heights Professional Park	•			Pres	erve <b>d</b> i	in:		LAB		FELD		FO	<u>R LA</u>	<u>a us</u>		<u>_Y</u>	
City/State/Zip: Collins	sville, IL 62234				LAB	NOTES	S:											
Contact: Devon Rath	oun	Phone: 417	/-300-190	5														
Email: devon.rathbu	un@jsheld.com	Fax:			Clier	nt Con	nme	ents:						~ _				
Are these samples known Are these samples known Are there any required rep limits in the comment sect	lease provide	1	lolir															
PROJECT NAME/NU Riverview Gardens Sc	JMBER bool District	sample co <i>Deion</i>	^	'S NAME	# and Type of Containers INDICATE ANALYSIS REQUES									JEST	ED			
Riverview Galueris Sc	noor District	Rot	Kbun															
RES	ULTS REQUESTED		NG INSTRUCTIONS	UNP	NaOH	H2SO4	MeOH	TSP NaHSO4,	Other	Lead						-		
Lab Use Only	Sample ID	Date/Time	Sampled	Matrix														
2-1021-170 OLS	243	2121124	6:00 AM	Aqueous							~							
046	as A			Aqueous							~							
647	asis			Aqueous							~							
, MP	a64			Aqueous							<b>/</b>							
049	268			Aqueous							~							
	_			Aqueous							~							
				Aqueous							~				Π			
				Aqueous							~				$\square$			
				Aqueous							~				Π			
				Aqueous							~							
				Aqueous														
Relinquished By				Date/Time	<b> </b>		À		eceiv							Date/		
Devon Pari	sen	2/21/2	4 8:10 AM	<u> </u>	m	UJ.	᠆᠆᠆	fac	<u>M</u>	M			7	21	24		810	
			······································			/												
<u></u>	*****************		<u> </u>										+					
······································			<u> </u>										-					

# APPENDIX C CREDENTIALS

# STATE OF MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

# **LEAD OCCUPATION LICENSE REGISTRATION**

# Issued to:

# **Anthony W. Hagerty**

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

> Lead Risk Assessor Category of License

Issuance Date: Expiration Date: License Number: 10/17/2022 10/31/2024 161031-300005062



Daven I. Nichels

Paula F. Nickelson Acting Director Department of Health and Senior Services

Lead Licensing Program, PO Box 570, Jefferson City, MO 65102



# SAINT LOUIS UNIVERSITY

CENTER FOR ENVIRONMENTAL EDUCATION AND TRAINING

verifies that

# Anthony Hagerty

5249 Miami Street, St. Louis, MO 63139

contact hours of training and successfully passed examination for ω has attended

# Lead Risk Assessor Refresher

St. Louis, MO

Certificate # CEET 32512/11/2023 **193536** Examination Date: 12/11/2023 CEUs: 0.8

Reve Dulle

Rene Dulle, MBA, Director Center for Environmental Education & Training

Center for Environmental Education and Training | 3545 Lafayette Ave., St. Louis, MO 63104 (314) 977-8256 |slu.edu/public-health-social-justice/centers-institutes/ceet.php The training course has been accredited by the Missouri Dept. of Health and Senior Services, and by the Illinois Dept. of Public Health. Certificate expiration is 3 years from examination date for Illinois Dept. of Public Health.

# State of Missouri Department of Natural Resources

Certificate of Approval for Chemical Laboratory Service

This is to certify that

# Teklab, Incorporated

is hereby approved to perform the analysis of drinking water as specified on the Certified Parameter List, which must accompany this certificate to be valid.


Certification Number 930

Date Issued December 13, 2021

Expiration Date January 31, 2025

Laboratory Certification Authority, Public Drinking Water Branch Missouri Department of Natural Resources

Laboratory Certification Officer, Environmental Services Program Missouri Department of Natural Resources



#### located at

# 5445 Horseshoe Lake Road, Collinsville, IL 62234

has been approved to perform the indicated procedures on drinking water under the Missouri Public Drinking Water Regulations (10 CSR 60-5.020). Specific method numbers or references are included in parenthesis when appropriate.

# **INORGANIC**

#### EPA 335.4 Total Cyanide

**EPA 353.2** Nitrate, Nitrite, Total Nitrate and Nitrite

#### EPA 245.1 Mercury

EPA 200.7 Barium, Beryllium, Cadmium, Chromium, Copper, Nickel

EPA 200.8

Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Nickel, Selenium, Thallium

#### SM4500F-C Fluoride

#### SM4500NO2-B Nitrite

Teklab, Incorporated Expiration Date: January 31, 2025 Missouri Certificate No.: 930 Original Certifying State: Illinois