TidalFit

SWIM SPAS & DUAL TEMP FITSPAS

= Day

0

IMPROVE HEALTH AND WELLNESS AT HOME

FOR FITNESS, FAMILY AND FUN

Family-friendly TidalFit Swim Spas are an excellent alternative to a full-sized backyard pool. In addition to providing many of the same benefits as a traditional swimming pool, TidalFit is also considerably easier to maintain. TidalFit Swim Spas can be used year-round due to the pool's ability to regulate its temperature. An ideal backyard solution for family amusement.

THE COMPLETE COLLECTION







DT-19 DUAL TEMP FITS PA



DT-21

BY TIDALFIT

EP-12




EP-12



ActivePlus EP-12 (Bench Option)



EP-14



Premium EP-14 (Bench Option)



Swimmer

^{Pro} **EP-15**





REVOLUTIONARY TRUE VARIABLE SPEED

The **WaVS** true variable speed system offers swimmers a range of swim options by allowing them to adjust the swim resistance at every comfort level. Whether you're a beginner or a seasoned swimmer, this system allows you to customize your own workout routines, ranging from low to high intensity. Dive in and experience the customizable power of the WaVS swim system.



SWIM JET SYSTEMS

TidalFit's swim systems offer a convenient and private way to exercise and stay active without the need for a gym membership or traveling to a public pool. With this latest technology, TidalFit customers can customize their workout routines and target specific muscle groups to achieve their fitness goals.

WaVS VARIABLE SPEED SYSTEM

(4) 6.0 in. Swim Jets(2) 3.0 HP Variable Speed Pumps

QUAD SWIM JET SYSTEM

(4) 6.0 in. Swim Jets(2) 3.0 HP 1-Spd Swim Pump(with Speed Control)

DUAL SWIM JET SYSTEM

(2) 6.0 in. Swim Jets

(1) 3.0 HP 1-Spd Swim Pump

THE NEW

DTL-6 DUAL TEMP FITSPA

The DTL-6 Dual Temp FitSpa features a 14-foot exercise pool with built-in stairs PLUS a luxury 6-foot hot tub with separate controls. Available in Semi-Inground or Above Ground.

Dimensions

168 in. x 163 in. x 54 in. 427 cm x 414 cm x 137 cm

Water Capacity

2055 gal 7779 L

Dry Weight 3100 lbs 1406 kg

Heater

5.5 kW - 60 Hz (3.0 KW - 50 Hz)

U.S. Patent No. 10,208,496 3

POOL SIDE DIMENSIONS:

168 in. x 91 in. x 54 in. 427 cm x 231 cm x 137 cm

Water Capacity: Dry Weight: 1640 gal 6208 L 2250 lbs 1021kg

SPA SIDE DIMENSIONS:

· 201

72 in. x 91 in. x 54 in. 183 cm x 231 cm x 137 cm

Water Capacity: Dry Weight: 375 gal 1420 L

850 lbs 386 kg

• HYDROTHERAPY SYSTEM:

35 Stainless Steel Helix Jets (2) 3.0 BHP (1.5 HP continuous) 1-\$pd

• WaVS VARIABLE SPEED SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP Variable Speed Pumps

• QUAD SWIM JET SYSTEM

(4) 6 in. Swim Jets

(2) 4.0 HP 1-Spd Swim Pumps (with Speed Control)









THE NEW

DTL-8 DUAL TEMP FITSPA

The DTL-8 Dual Temp FitSpa features a 14-foot exercise pool with built-in stairs PLUS a luxury 8-foot hot tub with separate controls. Available in Semi-Inground or Above Ground.

Dimensions

168 in. x 182 in. x 54 in. 427 cm x 462 cm x 137 cm

Water Capacity

2100 gal 7949 L

Dry Weight

3197 Lb

1450 ka

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



U.S. Patent No. 10,208,496

Dry Weight: Water Capacity: 1640 gal 6208 L 2250 lbs 1021 kg





THE NEW

DT-19

DUAL TEMP FITSPA

The **DT-19 Dual Temp FitSpa** features a **13-foot exercise pool** with built-in stairs PLUS a **5 person hot tub with 35 jets** and separate controls. Available in Semi-Inground or Above Ground.

Dimensions

231 in. x 91 in. x 54 in. 587 cm x 231 cm x 137 cm

Water Capacity

2010 gal 7609 L


Dry Weight

2939 lbs

1333 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



SPA SIDE DIMENSIONS:

72 in. x 91 in. x 54 in. 183 cm x 231 cm x 137 cm

 Water Capacity:
 Dry Weight:

 375 gal
 1420 L
 850 lbs
 386 kg



POOL SIDE DIMENSIONS:

159 in. x 91 in. x 54 in. 404 cm x 231 cm x 137 cm

 Water Capacity:
 Dry Weight:

 1635 gal 6189 L
 2089 lbs 948 kg

• HYDROTHERAPY SYSTEM:

35 Stainless Steel Helix Jets(2) 3.0 BHP (1.5 HP continuous) 1-Spd

• WaVS VARIABLE SPEED SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP Variable Speed Pumps

• QUAD SWIM JET SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)

THE NEW

DT-21

DUAL TEMP FITSPA

The **DT-21 Dual Temp FitSpa** features a **13-foot exercise pool** with built-in stairs PLUS an **8-foot luxury hot tub**. Available in Semi-Inground or Above Ground.

Dimensions

250 in. x 91 in. x 54 in. 635 cm x 231 cm x 137 cm

Water Capacity

2055 gal 7779 L

Dry Weight 3036 Ibs

1377 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



SPA SIDE DIMENSIONS:

91 in. x 91 in. x 54 in. 231 cm x 231 cm x 137 cm

 Water Capacity:
 Dry Weight:

 430 gal
 1628 L
 947 lbs
 430 kg

POOL SIDE DIMENSIONS:

159 in. x 91 in. x 54 in. 404 cm x 231 cm x 137 cm

 Water Capacity:
 Dry Weight:

 1635 gal 6189L
 2089 lbs 948 kg



• WaVS VARIABLE SPEED SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP Variable Speed Pumps

• QUAD SWIM JET SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)

• HYDROTHERAPY SYSTEM:

- DT-8 45 (2) 5.0 BHP (2.5 HP continuous) 1-Spd
 - (1) 3.0 BHP (1.5 HP continuous) 1-Spd

DT-8 61 (1) 3.0 HP 1-Spd

- (1) 5.0 BHP (2.5 HP continuous) 1-Spd
- (1) 3.0 BHP (1.5 HP continuous) 1-Spd

DUAL TEMP STANDARD FEATURES

DUAL TEMP

- Warranty:
 - Lifetime Structure^a
 - 7-Year Surface
 - 5-Year Parts, Labor, Plumbing and Electrical
 - 2 Year Cabinet
- All Seasons Shield Covers
- SpaTouch Topside:

Color Touchscreen Panel, WiFi Ready (Module Required), Multi-language Interface

- Heater: 5.5 kW for North America (60 Hz), 3.0 kW for Export (50 Hz)
- Maintenance Free Grandwood Cabinet
- Full Foam with ABS Bottom

The warranty printed in the booklet is for the USA only. Please contact your local dealer for relevant warranty document in your region.

POOL SIDE

- (3) Grab Rails
- Blue LED 5 in. Spa Light
- Hi-Flo Circulation System
- BellagioFall Water Feature
- Quad Swim Jet System
 - (4) 6 in. Swim Jets
 - (2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)

SPA SIDE

- Helix SS Jet Design
- Blue LED 3.5 in. Spa
- Hi-Flo Circulation System with Microfilter
- Dual Footblaster Jets (DT-8)

Grandwood Cabinets

Acrylic Colors



HP: Horsepower | +Color May Vary Slightly When Purchased Simultaneously On Spa Side and Pool Side | Swim Jets Are Rated at 175 GPM | "Refer to Owner's Manual for Full Description | **Available on Semi-Inground Models Only | ~Volumes are measured per APSP-14 testing. Volumes in field may vary by customers preference.

Pumps are rated at Brake Horse Power (BHP). BHP is a maximum value measured by the motor manufacturer with no load applied. Dry weight is shipping weight, including package and wooden runners. Dimensions, capacities and weights are approximate. Specifications are subject to change without notice. Spa images have been digitally rendered and may or may not show optional features.



DUAL TEMP OPTIONAL FEATURES

SPA SIDE

• LED Lighting:

1) DynaBrite (DT-8): (1) 3.5 in., (6) 2 in. LED Light, Tranquility Fall, Air Controls,

Clear Footblaster (Optional)

- 2) DynaBrite (DT-6): (1) 3.5 in., (4) 2 in. LED Light, Tranquility Fall, Air Controls
- 3) DynaStar LED: (1) 3.5 in., (4) 2 in. LED Light
- 4) Multicolor 10 LED
- Stereo System:
 - 1) Premium Infinity® Sound System by Harman:
 - Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers,

(2) 6.5 in. Exterior Speakers, Power Subwoofer

2) Bluetooth® Music Experience:

Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers, Subwoofer

3) bba[™] 2 Audio:

Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer

- Optional (2) 3 in. Patio Speakers (Stereo System 2 & 3)
- Worldwide WiFi App Module:
- 18 in. Tranquility Fall
- Pump/Heater Valves
- Footblasters Option (DTL-8 Only)
 - Clear LED Footblaster (DynaPoint or DynaBrite LED Required)
- Water Purification:
- 1) Diamond AOP[™]
- 2) Crystal ProPure[™] Ozone Mixing Chamber
- 3) Ozonator
- 4) FROG® @ease[™] with SmartChlor^{™++}

POOL SIDE

LED Lighting:


1) DynaBrite: (8) 2 in. Lights, (1) 5 in. Light, Illuminated BellagioFall, [Illuminates (4) 6 in. Swim Jets]

2) Multicolor 10 LED (DTL-14 only)

- Water Purification:
- 1) Diamond AOP™
- 2) Crystal ProPure[™] Ozone Mixing Chamber
- 3) Ozonator
- Pump/Heater Valves
- Aquatic Training System:
- 1) Stationary Resistant Swim
- 2) Rowing Bars and Resistant Cords

++Where Allowed By Law

SPA Side **Acrylic Upgrades:**











Tuscan Sun

Midnight Canyon

Storm Clouds

Glacier Mountain

White Pearl

Smoky Mountains

Semi-inground Installation

Partially sunk into the ground, this customization option is top rated for energy efficiency. Blend your swim spa beautifully into your existing landscaping.

Active EP-12

Dimensions

144 in. x 91 in. x 45 in. $_{366 \text{ cm} \times 231 \text{ cm} \times 114 \text{ cm}}$

Water Capacity

1195 gal 4524 L

Dry Weight

1750 lbs 794 kg

<u>H</u>eater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



• HYDROTHERAPY SYSTEM (optional):

14 Helix Jets, 2 Whirlpool Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump



Available in: • Above Ground



THE INTRODUCTION

The Active EP-12 is the most basic model of the line, an introduction to TidalFit Exercise Pools.

ActivePlus EP-12

Dimensions

144 in. x 91 in. x 52 in. $366 \text{ cm} \times 231 \text{ cm} \times 132 \text{ cm}$

Water Capacity

1315 gal

4978 L

Dry Weight

2000 lbs

907 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



• HYDROTHERAPY SYSTEM (optional):

28 Helix Jets, 3.0 HP 1-Spd Pump, BellagioFall
Water Feature
Optional Twin Bench (Hydrotherapy Required) - 12 Helix Jets & 3.0 BHP
(1.5 HP continuous) 1-Spd Pump



• DUAL SWIM JET SYSTEM

(2) 6 in. Swim Jets

(1) 3.0 HP 1-Spd Swim Pump

• QUAD SWIM JET SYSTEM

(4) 6 in. Swim Jets

(2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)



Premium EP-14

Dimensions

168 in. x 91 in. x 52 in. 427 cm x 231 cm x 132 cm

Water Capacity

1660 gal

6284 L

Dry Weight

2250 lbs

1021 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



• HYDROTHERAPY SYSTEM (optional):

28 Helix Jets, 3.0 HP 1-Spd Pump, BellagioFall Water Feature


• WaVS VARIABLE SPEED SYSTEM

(4) 6 in. Swim Jets

(2) 3.0 HP Variable Speed Pumps

• QUAD SWIM JET SYSTEM

(4) 6 in. Swim Jets(2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)





Optional Twin Bench



Core Swimmer

Dimensions

169 in. x 91 in. x 54 in. 429 cm x 231 cm x 137 cm

Water Capacity

1695 gal 6416 L

Dry Weight

2250 lbs

1021 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



• WaVS VARIABLE SPEED SYSTEM

(4) 6 in. Swim Jets

(2) 3.0 HP Variable Speed Pumps

QUAD SWIM JET SYSTEM

(4) 6 in. Swim Jets

(2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)



- Available in: Semi-Inground
- Above Ground



Pro **EP-15**

Dimensions

180 in. x 91 in. x 60 in. 457 cm x 231 cm x 152 cm

Water Capacity

2075 gal

7855 L

Dry Weight

2400 lbs

1088 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



• HYDROTHERAPY SYSTEM (optional)

34 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature

• WaVS VARIABLE SPEED SYSTEM

- (4) 6 in. Swim Jets
- (2) 3.0 HP Variable Speed Pumps

• QUAD SWIM JET SYSTEM

(4) 6 in. Swim Jets

(2) 3.0 HP 1-Speed Swim Pumps (with Speed Control)



- Available in: • Semi-Inground
- Above Ground



STANDARD FEATURES

• Warranty:

Lifetime Structure^a

7-Year Surface Warranty

5-Year Parts, Labor, Electrical and Plumbing

2-Year Cabinet

- All Seasons Shield Covers
- SpaTouch Topside:

Color Touchscreen Panel, WiFi Ready (Module Required),

Multi-language Interface



- Heater: 5.5 kW for North America (60 Hz), 3.0 kW for Export (50 Hz)
- Maintenance Free Grandwood Cabinet
- Grab Rails: (3) Core Swimmer, (2) EP-14/EP-15, (1) EP-12
- Full Foam with ABS Bottom
- Blue LED 5 in. Spa Light
- Hi-Flo Circulation System

UPGRADES

- WaVS Variable Speed System (EP-14, Core Swimmer, EP-15) (4) 6.0 in. Swim Jets
 - (2) 3.0 HP Variable Speed Pumps
- Quad Swim Jet System (ActivePlus EP-12, EP-14, Core Swimmer, EP-15) (4) 6.0 in. Swim Jets
- (2) 3.0 HP 1-Spd Swim Pump (with Speed Control)

Core Swimmer: BellagioFall Water Feature standard with Quad Swim Note: International EP-14 models equipped with the Dual Bench feature cannot be equipped with Quad Swim Jet System.

- Dual Swim Jet System (ActivePlus EP-12)
 - (2) 6.0 in. Swim Jets
- (1) 3.0 HP 1-Spd Swim Pump
- Hydrotherapy System:
- 1) Pro EP-15:

34 Helix Jets, 3.0 HP 1-Spd Pump, BellagioFall Water Feature

2) Premium EP-14:

28 Helix Jets, 3.0 HP 1-Spd Pump, BellagioFall Water Feature Optional Twin Bench (Hydrotherapy Required) - 32 Helix Jets & 2 X 3.0 BHP (1.5 HP continuous) 1-Spd Pumps

3) ActivePlus EP-12:

28 Helix Jets, 3.0 HP 1-Spd Pump, BellagioFall Water Feature

Optional Twin Bench (Hydrotherapy Required) - 12 Helix Jets & 3.0 BHP (1.5 HP continuous) 1-Spd Pump

- 4) Active EP-12:
 - 14 Helix Jets, 2 Whirlpool Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump

• Stereo System :

1) Bluetooth® Music Experience:

Bluetooth Receiver, AM/FM, USB, Auxiliary-Input, (4) 3 in. Speakers, Subwoofer

2) bba™2 Audio:

Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer

- Optional (2) 3 in. Patio Speakers LED Lighting:
- 1) DynaBrite Max LED (EP-14/Core Swimmer/EP-15)
 - (12) 2 in. Lights, (1) 5 in. Light, Illuminates Water Feature & 6 in. Swim Jets
- 2) DynaBrite LED (EP-12)
 - (8) 2 in. Lights, (1) 5 in. Light, Illuminates BellagioFall
 - (Hydrotherapy Required) & 6 in. Swim Jets
- 3) Multicolor 10 LED
- Water Purification:
 - 1) Diamond AOP™
 - 2) Crystal ProPure[™] Ozone Mixing Chamber
- 3) Ozonator
- Pump/Heater Valves
- Aquatic Training System:
 - 1) Stationary Resistant Swim
 - 2) Rowing Bars and Resistant Cords
- Worldwide WiFi App Module: Download App for Smart Device to Control Exercise Pool Wirelessly



Semi-inground Installation

Partially sunk into the ground, this customization option is top rated for energy efficiency. Blend your swim spa beautifully into your existing landscaping.

00

COLORS & ACCESSORIES

GRANDWOOD CABINETS

ACRYLIC COLORS

Grandwood Cabinets feature a tight grain pattern along with subtly varying shades of color.





Grey

Charcoal Black

Java



Silver Marble

ALL SEASONS SHIELD COVERS

Our All Seasons Shield Cover fabric is 100% solutiondyed polyester that's light-weight, extremely durable and does not absorb water.

STEPS

2-Steps Available on Semi-Inground Models Only 5-Steps Available on Above-Ground Models Only





Stone

Midnight

Pinot





Black

Black 5-Steps



App Store Google play

WORLDWIDE WIFI APP MODULE

The Worldwide App Module option, allows you to access your hot tub using an app on your smart device (Android[™] or iPhone[®]). Gain access anywhere in your house that you can connect to your local WiFi network, or anywhere in the world you have an internet connection to your smart device via 3G, 4G, 5G or WiFi hot spots.

With the app, you can ensure that your hot tub will be ready whenever you want to take a dip. The App provides full interface control so you can set the temperature, turn pumps on and off and even set filtration cycles - all from your smartphone or tablet.

*The app's cloud access cost is free for the 1st 12 months and then \$24 per year after. If not renewed after 12 months, the app will continue to operate in local mode only. *WiFi module purchased separately.

COVER LIFTERS

A COVER LIFTER OPTION is a vital piece of equipment that serves to protect not only your spa but also the cover. With a lifter, entering your spa is a cinch.

Manual Cover Lifter









AQUATIC TRAINING SYSTEM

Elevate your swim spa experience by incorporating the optional rowing bars and resistance cords, allowing you to engage in a full-body workout while enjoying the water. With the stationary swim tether, you can take your swimming technique to new heights, enjoying the benefits of resistance training for improved performance.

WATER PURIFICATION

CLEAN & PURE SPA WATER

Our water purification systems virtually eliminates the need for chemicals to oxidize contaminates and organics on contact. It converts oxygen molecules "in the air" into ozone. When organics such as bacteria, viruses, and bather load are burned up in the process, it then reverts back to pure, fresh oxygen.

Proven ozone technology effectively removes water impurities and microorganisms, reduces chemical usage and requires less maintenance. Your skin will feel soft, clean and free of harsh chemicals.

Clean spa water made easy...nature's way.



SAVING TIME AND MAINTENANCE

For residential spas that effectively remove water impurities and microorganisms, reduce chemical usage, require less maintenance and provide the convenience of one unit to clean your spa day after day both domestically and internationally.

Proven, reliable and green technology for clean spa water.

Diamond AOP[™]

The Diamond AOPTM process combines Microfiltration, high efficiency Circulation Pump, and the AquaNovaTM UVC & Ozone Spa Sanitizer, to create a highly advanced oxidation process (AOP) for water purification.





Crystal ProPure[™]

Water Purification combines the Ozonator, Dynamic Injector, and the ProPure Mixing Chamber. All components work together to create an innovative water purification system.





About TidalFit Exercise Pools

The TidalFit exercise pool is built to the same world class quality standards that you would expect from May Manufacturing, LLC, who is renowned throughout the spa industry. Designed with an ideal combination of innovative engineering and artistry, the TidalFit is as constant in quality as it is in efficiency and design. Some of the most discriminating buyers acquire this exercise pool because it is intuitively user friendly, as well as being aesthetically appealing. Simply put, with its quality workmanship and exceptionally attractive features, the TidalFit is in a class of its own. TidalFit was recently seen on the ABC television show Extreme Makeover Weight Loss Edition.



XTREME WEIGHT LOSS

SERIES ON ABC'S PRIMETIME

www.TidalFit.com



Built in the USA for the World: TidalFit is sold in over 68 countries.











©2023 May Manufacturing LLC | Printed in U.S.A. 06/2023