NEMOURS For KidsHealth Parents

-

For F

For

Kids Teens

Educators

SEARCH

KidsHealth

Parents

Adrenal Insufficiency

# Adrenal Insufficiency

en español: Insuficiencia suprarrenal

Medically reviewed by: Evan G. Graber, DO

Learn About Endocrinology (Hormones & Growth) at Nemours Children's Health



\_ Listen

Print

### MORE ON THIS TOPIC FOR:

#### **Parents**

Congenital Adrenal Hyperplasia

**Endocrine System** 

Dehydroepiandrosterone-Sulfate (DHEA-S) Blood Test

**Estradiol Blood Test** 

# What Is Adrenal Insufficiency?

Adrenal insufficiency happens when the adrenal glands make fewer hormones than they should. This can cause:

- weakness
- tiredness
- belly pain
- · loss of appetite
- nausea
- dehydration
- skin changes

Some people with adrenal insufficiency have no symptoms unless they're exposed to stress.

## What Are the Adrenal Glands?

There are two adrenal (eh-DREE-nul) glands, which sit above the <u>kidneys</u>. They make important

Doctors diagnose adrenal insufficiency with <u>blood</u> <u>tests</u> to check hormone levels. They also might order:

- an ACTH stimulation test to see how the body responds to an injection of adrenocorticotropic hormone
- magnetic resonance imaging (MRI) to check the size and shape of the pituitary gland

# How Is Adrenal Insufficiency Treated?

Doctors treat adrenal insufficiency by giving replacement hormones. They might prescribe:

- a corticosteroid taken by mouth several times a day to replace <u>cortisol</u>
- a medicine called fludrocortisone taken by mouth to replace <u>aldosterone</u> and balance the body's levels of salt and fluids

Corticosteroid doses often need to increase during times of illness or stress.

## What Is an Adrenal Crisis?

Sometimes, symptoms can suddenly become much worse, usually when someone is stressed by illness or injury. This is called an **adrenal crisis**. It needs medical treatment right away. Someone having an adrenal crisis needs to go to the hospital for IV (given into a vein) fluids and further doses of corticosteroids.

Signs of an adrenal crisis can include:

- vomiting
- belly pain
- severe weakness
- sweating a lot
- confusion

For Towns

Contact Us

WELLNESS CENTERS

For Parents

For Kids

For Teens

Note: All information on Nemours® KidsHealth® is for educational purposes only. For specific medical advice, diagnoses, and treatment, consult your doctor. © 1995-2025. The Nemours Foundation. Nemours Children's Health®, KidsHealth®, and Well Beyond Medicine® are registered trademarks of The Nemours Foundation. All rights reserved. Images sourced by The Nemours Foundation and Getty Images.

