

SECTION 009113 – ADDENDUM

PART 1 - Addendum 1

1.1 PROJECT INFORMATION

- A. Project Name: RFP 268 Roof, Tuckpointing at -FCRC.
- B. Owner: Riverview Gardens School District.
- C. Date of Addendum: 08/24/2022.

1.2 NOTICE TO BIDDERS

- A. This Addendum is issued to all registered plan holders pursuant to the Instructions to Bidders and Conditions of the Contract. This Addendum serves to clarify, revise, and supersede information in the Project Manual, Drawings, and previously issued Addenda. Portions of the Addendum affecting the Contract Documents will be incorporated into the Contract by enumeration of the Addendum in the Owner/Contractor Agreement.
- B. The Bidder shall acknowledge receipt of this Addendum in the appropriate space on the Bid Form.
- C. The date for receipt of bids is unchanged by this Addendum, at same time and location.

1.3 ADDITIONAL INFORMATION FOR SCOPE OF WORK

- A. **Masonry repairs scope of work:**
 - 1. Repair damaged concrete decking on dome roof.
 - 2. Clean and prep all stone coping.
 - a. Install new sealant at joints and a penetrating sealer to the coping.
 - 3. Remove and replace sealants at clear window locations attached to dome building.
 - 4. Remove and replace base sealant on the decorative windows on the dome.
 - 5. Remove and replace sealants to the frame of masonry pop outs around the building.
 - 6. Remove and replace masonry control joints. Install new sealant.

END OF SECTION 009113